




## Cennik

Cały zakres produktów



## Kaimann GmbH

Hansastr. 2-5  
33161 Hövelhof  
Germany  
Tel.: +49 5257 9850 - 0  
info.kaimann@saint-gobain.com  
www.kaimann.com

### Wjazd dla ciężarówek

Paderborner Straße 39  
33161 Hövelhof  
Germany

## Kontakt

### Sprzedaż w Polsce

#### Kaimann Polska

Aleja Jana Nowaka-  
Jeziorańskiego 39  
44-102 Gliwice  
Polska  
zamowienia.kaimann  
@saint-gobain.com

#### Paweł Laskowski

Regional Sales Manager  
Mobil: +48 572 775 201  
pawel.laskowski@  
saint-gobain.com

#### Piotr Daniluk

Regional Sales Manager  
Mobil: +48 572 770 373  
piotr.daniluk@  
saint-gobain.com

#### Piotr Konieczny

Business Manager Poland  
Mobil: +48 660 202 818  
piotr.konieczny@  
saint-gobain.com

#### Marcin Dombek

Dział realizacji zamówień  
Phone: +48 734 193 657  
marcin.dombek@  
saint-gobain.com

#### Piotr Pająk

Dział realizacji zamówień  
Phone: +48 660 629 581  
piotr.pajak@  
saint-gobain.com

## Spis treści

	Strona
<b>Chłodnictwo/Klimatyzacja/Wentylacja</b>	
Kaiflex KKplus s1	3
Kaiflex ST s2	6
Kaiflex ST	11
Kaiflex Duct System	12
<b>Zastosowanie w wysokich temperaturach</b>	
Kaiflex EPDMplus	13
<b>Zastosowania bezhalogenowe</b>	
Kaiflex HFplus s2	15
<b>Rozwiązania w zakresie izolacji akustycznej</b>	
Kaiflex SL	17
Kaivenience	18
Kaisound	19
<b>Systemy powłokowe</b>	
Kaiflex Protect Alu-TEC	20
Kaiflex Protect F-BLACK	22
Kaiflex Protect Alu-NET	24
Kaiflex Protect TS	26
Protect (R) HD	27
<b>Aksesoria</b>	
Kaiflex RT-ST	28
Kaiflex FT	29
Kaifix ECplus	30
Kaiflex Pyrostar XTRA	32
Kleje i inne	33
Narzędzia	33
Produkty w rolkach	34
Inne	34
Ogólne warunki dostaw	36

## Kaiflex KKplus s1

Otulina · niepolekana (technologia KaiCene)

Kolor: Antracyt · Długość: 1,2 m							
13 mm Grubość				19 mm Grubość			
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m
KK+s1-T-1,2m-13x015	4005146	108,0	<b>46,04</b>	KK+s1-T-1,2m-19x015	4005157	62,4	<b>84,81</b>
KK+s1-T-1,2m-13x018	4005147	88,8	<b>49,70</b>	KK+s1-T-1,2m-19x018	4005158	50,4	<b>86,44</b>
KK+s1-T-1,2m-13x022	4005148	73,2	<b>51,76</b>	KK+s1-T-1,2m-19x022	4005159	49,2	<b>98,70</b>
KK+s1-T-1,2m-13x028	4005149	58,8	<b>56,52</b>	KK+s1-T-1,2m-19x028	4005160	39,6	<b>106,32</b>
KK+s1-T-1,2m-13x035	4005150	50,4	<b>63,06</b>	KK+s1-T-1,2m-19x035	4005161	30,0	<b>115,62</b>
KK+s1-T-1,2m-13x042	4005151	36,0	<b>76,40</b>	KK+s1-T-1,2m-19x042	4005162	27,6	<b>134,97</b>
KK+s1-T-1,2m-13x048	4005152	38,4	<b>81,06</b>	KK+s1-T-1,2m-19x048	4005163	24,0	<b>137,93</b>
KK+s1-T-1,2m-13x054	4005153	36,0	<b>88,93</b>	KK+s1-T-1,2m-19x054	4005164	19,2	<b>183,27</b>
KK+s1-T-1,2m-13x060	4005154	28,8	<b>101,03</b>	KK+s1-T-1,2m-19x060	4005165	19,2	<b>204,58</b>
KK+s1-T-1,2m-13x064	4008639	28,8	<b>112,93</b>	KK+s1-T-1,2m-19x064	4008642	15,6	<b>221,85</b>
KK+s1-T-1,2m-13x076	4005155	27,6	<b>133,27</b>	KK+s1-T-1,2m-19x076	4005166	16,8	<b>225,80</b>
KK+s1-T-1,2m-13x089	4005156	19,2	<b>143,85</b>	KK+s1-T-1,2m-19x089	4005167	14,4	<b>241,48</b>

25 mm Grubość				32 mm Grubość			
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m
KK+s1-T-1,2m-25x015	4012202	37,2	<b>112,79</b>	KK+s1-T-1,2m-32x015	4008655	21,6	<b>165,70</b>
KK+s1-T-1,2m-25x018	4008643	37,2	<b>124,87</b>	KK+s1-T-1,2m-32x018	4008656	21,6	<b>170,63</b>
KK+s1-T-1,2m-25x022	4008644	30,0	<b>132,11</b>	KK+s1-T-1,2m-32x022	4008657	21,6	<b>181,46</b>
KK+s1-T-1,2m-25x028	4008645	24,0	<b>143,12</b>	KK+s1-T-1,2m-32x028	4008658	19,2	<b>186,04</b>
KK+s1-T-1,2m-25x035	4008646	21,6	<b>156,74</b>	KK+s1-T-1,2m-32x035	4008659	16,8	<b>230,45</b>
KK+s1-T-1,2m-25x042	4008647	19,2	<b>175,01</b>	KK+s1-T-1,2m-32x042	4008660	14,4	<b>238,88</b>
KK+s1-T-1,2m-25x048	4008648	16,8	<b>192,21</b>	KK+s1-T-1,2m-32x048	4008661	13,2	<b>255,46</b>
KK+s1-T-1,2m-25x054	4008649	16,8	<b>202,43</b>	KK+s1-T-1,2m-32x054	4008662	12,0	<b>261,99</b>
KK+s1-T-1,2m-25x060	4008650	14,4	<b>227,15</b>	KK+s1-T-1,2m-32x060	4008663	10,8	<b>292,18</b>
KK+s1-T-1,2m-25x064	4008651	14,4	<b>286,88</b>	KK+s1-T-1,2m-32x064	4008664	10,8	<b>366,68</b>
				KK+s1-T-1,2m-32x070	4008665	9,6	<b>405,64</b>
KK+s1-T-1,2m-25x076	4008652	12,0	<b>329,43</b>	KK+s1-T-1,2m-32x076	4008666	7,2	<b>426,62</b>
KK+s1-T-1,2m-25x089	4008653	9,6	<b>353,51</b>	KK+s1-T-1,2m-32x089	4008667	7,2	<b>456,80</b>

Otulina szczelinowe dostępne na zamówienie.

W celu uzyskania informacji o zakresie innych wymiarów, prosimy o kontakt z naszym centrum obsługi klienta.





## Kaiflex KKplus s1

Otulina · niepowlkana (technologia KaiCene)  
samoprzylepna · ze stycznym nacięciem wzdłużnym

Kolor: Antracyt · Długość: 1,2 m

13 mm Grubość				19 mm Grubość			
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m
KK+s1-T-1,2m-13x015-SA	4008683	108,0	<b>63,14</b>	KK+s1-T-1,2m-19x015-SA	4008694	62,4	<b>108,74</b>
KK+s1-T-1,2m-13x018-SA	4008684	88,8	<b>68,42</b>	KK+s1-T-1,2m-19x018-SA	4008695	50,4	<b>111,07</b>
KK+s1-T-1,2m-13x022-SA	4008685	72,3	<b>71,29</b>	KK+s1-T-1,2m-19x022-SA	4008696	49,2	<b>126,47</b>
KK+s1-T-1,2m-13x028-SA	4008686	58,8	<b>77,48</b>	KK+s1-T-1,2m-19x028-SA	4008697	39,6	<b>136,23</b>
KK+s1-T-1,2m-13x035-SA	4008687	50,4	<b>86,52</b>	KK+s1-T-1,2m-19x035-SA	4008698	30,0	<b>148,24</b>
KK+s1-T-1,2m-13x042-SA	4008688	36,0	<b>104,79</b>	KK+s1-T-1,2m-19x042-SA	4008699	27,6	<b>172,87</b>
KK+s1-T-1,2m-13x048-SA	4008689	38,4	<b>111,24</b>	KK+s1-T-1,2m-19x048-SA	4008700	24,0	<b>176,62</b>
KK+s1-T-1,2m-13x054-SA	4008690	36,0	<b>122,26</b>	KK+s1-T-1,2m-19x054-SA	4008701	19,2	<b>235,03</b>
KK+s1-T-1,2m-13x060-SA	4008691	28,8	<b>138,83</b>	KK+s1-T-1,2m-19x060-SA	4008702	19,2	<b>262,07</b>
KK+s1-T-1,2m-13x076-SA	4008692	27,6	<b>173,30</b>	KK+s1-T-1,2m-19x076-SA	4008703	16,8	<b>289,38</b>
KK+s1-T-1,2m-13x089-SA	4008693	19,2	<b>197,58</b>	KK+s1-T-1,2m-19x089-SA	4008704	14,4	<b>309,45</b>

W celu uzyskania informacji o zakresie innych wymiarów, prosimy o kontakt z naszym centrum obsługi klienta.

## Kaiflex KKplus s1

Mata · w rolce · powlekana (INCERAM-Cladding)

**Kolor: Antracyt · Szerokość: 1 m · Ø średnica rolki: 40 cm · w kartonie**

Grubość mm	Wymiar / Odnośnik	Nr kat.	m/ karton	m <sup>2</sup> / karton	zł/ m <sup>2</sup>
6	KK+s1-Sh-e-1m-40BX-06	4008727	18	18	925,14
10	KK+s1-Sh-e-1m-40BX-10	4008728	10	10	1.028,24

**Kolor: Antracyt · Szerokość: 1 m · Ø średnica rolki: 53 cm · w kartonie**

Grubość mm	Wymiar / Odnośnik	Nr kat.	m/ karton	m <sup>2</sup> / karton	zł/ m <sup>2</sup>
13	KK+s1-Sh-e-1m-53BX-13	4008729	14	14	1.153,26
19	KK+s1-Sh-e-1m-53BX-19	4008730	10	10	1.315,29
25	KK+s1-Sh-e-1m-53BX-25	4008731	8	8	1.468,36
32	KK+s1-Sh-e-1m-53BX-32	4008732	6	6	1.724,18

W celu uzyskania informacji o zakresie innych wymiarów, prosimy o kontakt z naszym centrum obsługi klienta.

## Kaiflex KKplus s1

Mata · w rolce · powlekana (INCERAM-Cladding) · samoprzylepna

**Kolor: Antracyt · Szerokość: 1 m · Ø średnica rolki: 40 cm · w kartonie**

Grubość mm	Wymiar / Odnośnik	Nr kat.	m/ karton	m <sup>2</sup> / karton	zł/ m <sup>2</sup>
6	KK+s1-Sh-e-1m-40BX-06-SA	4008733	15	15	1.001,36
10	KK+s1-Sh-e-1m-40BX-10-SA	4008734	10	10	1.104,46

**Kolor: Antracyt · Szerokość: 1 m · Ø średnica rolki: 53 cm · w kartonie**

Grubość mm	Wymiar / Odnośnik	Nr kat.	m/ karton	m <sup>2</sup> / karton	zł/ m <sup>2</sup>
13	KK+s1-Sh-e-1m-53BX-13-SA	4008735	14	14	1.229,40
19	KK+s1-Sh-e-1m-53BX-19-SA	4008736	10	10	1.391,50
25	KK+s1-Sh-e-1m-53BX-25-SA	4008737	8	8	1.544,58
32	KK+s1-Sh-e-1m-53BX-32-SA	4008738	6	6	1.800,37

W celu uzyskania informacji o zakresie innych wymiarów, prosimy o kontakt z naszym centrum obsługi klienta.



## Kaiflex ST s2

### Otulina

Kolor: Antracyt · Długość: 2 m							
6 mm Grubość				9 mm Grubość			
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m
STs2-T-2m-06x006	4001188	600	6,48	STs2-T-2m-09x006	4014856	336	7,59
STs2-T-2m-06x008	4001189	500	6,73	STs2-T-2m-09x008	4014857	304	7,88
STs2-T-2m-06x010	4001190	430	6,88	STs2-T-2m-09x010	4014858	272	8,21
STs2-T-2m-06x012	4001191	350	7,17	STs2-T-2m-09x012	4014859	240	8,77
STs2-T-2m-06x015	4001192	300	8,00	STs2-T-2m-09x015	4014860	192	9,06
STs2-T-2m-06x018	4001193	280	8,65	STs2-T-2m-09x018	4014862	160	9,73
				STs2-T-2m-09x020	4014864	144	10,36
STs2-T-2m-06x022	4014854	192	9,11	STs2-T-2m-09x022	4014865	132	10,79
				STs2-T-2m-09x025	4014867	120	11,65
STs2-T-2m-06x028	4001197	150	10,71	STs2-T-2m-09x028	4014868	104	12,05
STs2-T-2m-06x035	4001199	120	12,254	STs2-T-2m-09x035	4014870	84	13,55
				STs2-T-2m-09x042	4014872	72	15,56
				STs2-T-2m-09x048	4014874	64	18,05
				STs2-T-2m-09x054	4014876	56	24,05
				STs2-T-2m-09x060	4014878	56	26,31
				STs2-T-2m-09x064	4014880	52	29,29
				STs2-T-2m-09x076	4014882	52	35,15
				STs2-T-2m-09x089	4014884	48	42,53
				STs2-T-2m-09x108	4014886	36	64,77
				STs2-T-2m-09x114	4001227	28	74,55
				STs2-T-2m-09x125	4001228	20	90,62
				STs2-T-2m-09x133	4001229	16	101,19
				STs2-T-2m-09x140	4001230	16	109,01
				STs2-T-2m-09x160	4001231	14	133,52

## Kaiflex ST s2

### Otulina

Kolor: Antracyt · Długość: 2 m							
13 mm Grubość				19 mm Grubość			
Wymiar / Odnosnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnosnik	Nr kat.	m/ karton	zł/ m
STs2-T-2m-13x006	4001232	240	10,15	STs2-T-2m-19x006	4014078	128	19,00
STs2-T-2m-13x010	4001234	190	11,59	STs2-T-2m-19x010	4014079	108	20,15
STs2-T-2m-13x012	4001235	172	12,25	STs2-T-2m-19x012	4014900	96	21,15
STs2-T-2m-13x015	4014073	144	13,80	STs2-T-2m-19x015	4014080	80	25,30
STs2-T-2m-13x018	4014074	128	14,55	STs2-T-2m-19x018	4014901	72	26,22
STs2-T-2m-13x020	4001238	120	15,44	STs2-T-2m-19x020	4014903	72	27,76
STs2-T-2m-13x022	4014075	108	16,05	STs2-T-2m-19x022	4014082	72	29,29
STs2-T-2m-13x025	4001240	92	16,77	STs2-T-2m-19x025	4001273	60	33,15
STs2-T-2m-13x028	4014887	80	17,00	STs2-T-2m-19x028	4014083	56	35,12
STs2-T-2m-13x035	4014889	72	20,78	STs2-T-2m-19x035	4001277	48	41,37
STs2-T-2m-13x042	4001246	56	23,90	STs2-T-2m-19x042	4001279	40	46,72
STs2-T-2m-13x048	4001248	48	28,24	STs2-T-2m-19x048	4014084	36	55,99
STs2-T-2m-13x054	4014891	48	34,46	STs2-T-2m-19x054	4001282	30	63,89
STs2-T-2m-13x060	4014893	48	37,90	STs2-T-2m-19x060	4001284	28	72,15
STs2-T-2m-13x064	4001252	40	39,05	STs2-T-2m-19x064	4001285	28	76,78
STs2-T-2m-13x070	4001254	40	47,44	STs2-T-2m-19x070	4001287	28	87,68
STs2-T-2m-13x076	4001255	34	47,63	STs2-T-2m-19x076	4001288	28	88,75
STs2-T-2m-13x080	4014895	34	54,05	STs2-T-2m-19x080	4001289	26	97,23
STs2-T-2m-13x089	4014896	34	56,82	STs2-T-2m-19x089	4014904	26	98,44
STs2-T-2m-13x108	4014898	32	79,75	STs2-T-2m-19x108	4001292	20	134,69
STs2-T-2m-13x114	4014899	32	88,95	STs2-T-2m-19x114	4001293	18	142,08
STs2-T-2m-13x125	4001261	20	112,87	STs2-T-2m-19x125	4001294	18	159,41
STs2-T-2m-13x133	4001262	18	114,83	STs2-T-2m-19x133	4001295	12	164,23
STs2-T-2m-13x140	4001263	18	116,14	STs2-T-2m-19x140	4001296	10	182,94
STs2-T-2m-13x160	4015193	18	141,47	STs2-T-2m-19x160	4001297	8	201,10
				STs2-T-2m-19x168	4001298	8	216,31





## Kaiflex ST s2

Otulina · samoprzylepna · ze stycznym nacięciem wzdłużnym

Kolor: Antracyt · Długość: 2 m							
9 mm Grubość				13 mm Grubość			
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m
STs2-T-2m-09x015-SA	4014861	192	22,82	STs2-T-2m-13x015-SA	4014127	144	25,37
STs2-T-2m-09x018-SA	4014863	160	23,12	STs2-T-2m-13x018-SA	4014128	128	26,95
STs2-T-2m-09x022-SA	4014866	132	24,42	STs2-T-2m-13x022-SA	4014129	108	27,95
STs2-T-2m-09x028-SA	4014869	104	29,93	STs2-T-2m-13x028-SA	4014888	80	33,29
STs2-T-2m-09x035-SA	4014871	84	35,62	STs2-T-2m-13x035-SA	4014890	72	40,41
STs2-T-2m-09x042-SA	4014873	72	38,43	STs2-T-2m-13x042-SA	4001666	56	46,41
STs2-T-2m-09x048-SA	4014875	64	42,35	STs2-T-2m-13x048-SA	4001667	48	51,54
STs2-T-2m-09x054-SA	4014877	56	55,96	STs2-T-2m-13x054-SA	4014892	48	62,16
STs2-T-2m-09x060-SA	4014879	56	64,10	STs2-T-2m-13x060-SA	4014894	48	72,42
STs2-T-2m-09x064-SA	4014881	52	70,38	STs2-T-2m-13x064-SA	4001670	40	80,29
STs2-T-2m-09x076-SA	4014883	52	78,96	STs2-T-2m-13x076-SA	4001671	34	88,63
				STs2-T-2m-13x080-SA	4001672	30	97,07
STs2-T-2m-09x089-SA	4014885	48	103,81	STs2-T-2m-13x089-SA	4014897	34	108,89

19 mm Grubość				25 mm Grubość			
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m
STs2-T-2m-19x015-SA	4014131	80	46,06	STs2-T-2m-25x015-SA	4014136	56	96,51
STs2-T-2m-19x018-SA	4014902	72	49,39				
STs2-T-2m-19x022-SA	4014133	72	55,46	STs2-T-2m-25x022-SA	4014907	48	101,72
STs2-T-2m-19x028-SA	4014134	56	63,54	STs2-T-2m-25x028-SA	4014909	36	112,54
STs2-T-2m-19x035-SA	4001678	48	77,74	STs2-T-2m-25x035-SA	4001690	32	125,43
STs2-T-2m-19x042-SA	4001679	40	93,48	STs2-T-2m-25x042-SA	4014911	32	154,93
STs2-T-2m-19x048-SA	4014135	36	104,97	STs2-T-2m-25x048-SA	4014913	28	181,15
STs2-T-2m-19x054-SA	4001681	30	114,42	STs2-T-2m-25x054-SA	4014915	24	204,67
STs2-T-2m-19x060-SA	4001682	28	129,51	STs2-T-2m-25x060-SA	4001694	22	222,18
STs2-T-2m-19x064-SA	4001683	28	147,47				
				STs2-T-2m-25x067-SA	4007422	18	262,96
STs2-T-2m-19x076-SA	4001685	28	164,22	STs2-T-2m-25x076-SA	4001695	18	291,67
STs2-T-2m-19x089-SA	4014905	26	180,80	STs2-T-2m-25x089-SA	4014918	18	291,67



## Kaiflex ST s2

Otulina · w zwoju

Kolor: Antracyt

6 mm Grubość				9 mm Grubość			
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m
STs2-T-e-06x006	4015097	50	7,49	STs2-T-e-09x006	4001508	40	8,73
STs2-T-e-06x008	4015098	48	7,71	STs2-T-e-09x008	4001509	37	9,08
STs2-T-e-06x010	4015099	46	7,96	STs2-T-e-09x010	4001510	34	9,45
STs2-T-e-06x012	4015100	40	8,26	STs2-T-e-09x012	4001511	31	10,06
STs2-T-e-06x015	4015101	38	9,20	STs2-T-e-09x015	4001512	27	10,41
STs2-T-e-06x018	4015102	30	9,96	STs2-T-e-09x018	4001513	23	11,19
				STs2-T-e-09x020	4015105	23	12,04
STs2-T-e-06x022	4015103	23	10,46	STs2-T-e-09x022	4001514	19	12,41
STs2-T-e-06x028	4015104	20	12,37	STs2-T-e-09x028	4015122	15	13,84

13 mm Grubość							
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m				
STs2-T-e-13x006	4001516	26	11,64				
STs2-T-e-13x010	4001518	23	13,29				
STs2-T-e-13x012	4015121	21	14,12				
STs2-T-e-13x015	4015118	21	15,87				
STs2-T-e-13x018	4015120	20	16,76				
STs2-T-e-13x022	4015116	19	18,49				
STs2-T-e-13x028	4015115	15	19,54				

## Kaiflex ST

Mata · w rolce

**Kolor: Antracyt · Szerokość: 1 m · Ø średnica rolki: 40 cm · w kartonie**

Grubość mm	Wymiar / Odnośnik	Nr kat.	m/ karton	m <sup>2</sup> / karton	zł/ m <sup>2</sup>
6	ST-Sh-e-1m-40BX-06	4012754	18	18	75,22
10	ST-Sh-e-1m-40BX-10	4001584	10	10	104,10
13	ST-Sh-e-1m-40BX-13	4001585	8	8	125,14
16	ST-Sh-e-1m-40BX-16	4012755	7	7	158,83
19	ST-Sh-e-1m-40BX-19	4001586	6	6	180,66
25	ST-Sh-e-1m-40BX-25	4012756	4	4	230,53
32	ST-Sh-e-1m-40BX-32	4001587	3	3	292,58

**Kolor: Antracyt · Szerokość: 1 m · Ø średnica rolki: 53 cm · w kartonie**

Grubość mm	Wymiar / Odnośnik	Nr kat.	m/ karton	m <sup>2</sup> / karton	zł/ m <sup>2</sup>
6	ST-Sh-e-1m-53BX-06	4001537	30	30	75,22
10	ST-Sh-e-1m-53BX-10	4001539	20	20	104,10
13	ST-Sh-e-1m-53BX-13	4001540	14	14	125,14
16	ST-Sh-e-1m-53BX-16	4001541	12	12	158,83
19	ST-Sh-e-1m-53BX-19	4001542	10	10	180,66
25	ST-Sh-e-1m-53BX-25	4001543	8	8	230,53
32	ST-Sh-e-1m-53BX-32	4001544	6	6	292,58
40	ST-Sh-e-1m-53BX-40	4012596	5,5	5,5	413,01
50	ST-Sh-e-1m-53BX-50	4012226	4	4	501,09

## Kaiflex ST

Mata · w rolce · samoprzylepna

**Kolor: Antracyt · Szerokość: 1 m · Ø średnica rolki: 40 cm · w kartonie**

Grubość mm	Wymiar / Odnośnik	Nr kat.	m/ karton	m <sup>2</sup> / karton	zł/ m <sup>2</sup>
6	ST-Sh-e-1m-40BX-06-SA	4012757	18	18	124,40
10	ST-Sh-e-1m-40BX-10-SA	4001588	10	10	150,24
13	ST-Sh-e-1m-40BX-13-SA	4001589	8	8	174,49
16	ST-Sh-e-1m-40BX-16-SA	4012758	7	7	207,09
19	ST-Sh-e-1m-40BX-19-SA	4001590	6	6	234,89
25	ST-Sh-e-1m-40BX-25-SA	4012759	4	4	282,27
32	ST-Sh-e-1m-40BX-32-SA	4012760	3	3	335,91

**Kolor: Antracyt · Szerokość: 1 m · Ø średnica rolki: 53 cm · w kartonie**

Grubość mm	Wymiar / Odnośnik	Nr kat.	m/ karton	m <sup>2</sup> / karton	zł/ m <sup>2</sup>
6	ST-Sh-e-1m-53BX-06-SA	4001563	30	30	124,40
10	ST-Sh-e-1m-53BX-10-SA	4001564	20	20	150,24
13	ST-Sh-e-1m-53BX-13-SA	4001565	14	14	174,49
16	ST-Sh-e-1m-53BX-16-SA	4001566	12	12	207,09
19	ST-Sh-e-1m-53BX-19-SA	4001567	10	10	234,89
25	ST-Sh-e-1m-53BX-25-SA	4001568	8	8	282,27
32	ST-Sh-e-1m-53BX-32-SA	4001569	6	6	335,91
40	ST-Sh-e-1m-53BX-40-SA	4012597	5,5	5,5	473,72
50	ST-Sh-e-1m-53BX-50-SA	4012594	4	4	585,35



## Kaiflex Duct

Mata · w rolce · samoprzylepna

Kolor: Antracyt · Szerokość: 1 m · Ø średnica rolki: 40 cm · w kartonie

Grubość mm	Wymiar / Odnośnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
6	DC-Sh-e-1m-40BX-06-SA	4012764	18	18	85,99
10	DC-Sh-e-1m-40BX-10-SA	4012766	10	10	116,93
12	DC-Sh-e-1m-40BX-12-SA	4012767	8	8	138,33
15	DC-Sh-e-1m-40BX-15-SA	4012768	7	7	159,13
20	DC-Sh-e-1m-40BX-20-SA	4012769	6	6	194,04
25	DC-Sh-e-1m-40BX-25-SA	4012770	4	4	223,53
30	DC-Sh-e-1m-40BX-30-SA	4012771	3	3	263,18

## Kaiflex Duct plus

Mata · w rolce · samoprzylepna

Kolor: Antracyt · Szerokość: 1,5 m · Ø średnica rolki: 60 cm · w worku

Grubość mm	Wymiar / Odnośnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
6	DC+-Sh-e-1,5m-60BG-06-SA	4010630	30	45,0	108,89
10	DC+-Sh-e-1,5m-60BG-10-SA	4010632	20	30,0	147,99
12	DC+-Sh-e-1,5m-60BG-12-SA	4010633	15	22,5	170,16
20	DC+-Sh-e-1,5m-60BG-20-SA	4010635	10	15,0	232,83
30	DC+-Sh-e-1,5m-60BG-30-SA	4010637	6	9,0	322,38

## Kaiflex Duct ALU plus

Mata · w rolce · powlekana (ALU) · samoprzylepna

Kolor: Antracyt/Srebrzysty · Szerokość: 1 m · Ø średnica rolki: 40 cm · w kartonie

Grubość mm	Wymiar / Odnośnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
6	DC-A+-Sh-e-1m-40BX-06-SA	4013751	18	18	142,49
10	DC-A+-Sh-e-1m-40BX-10-SA	4013755	10	10	176,53
12	DC-A+-Sh-e-1m-40BX-12-SA	4013757	8	8	203,25
15	DC-A+-Sh-e-1m-40BX-15-SA	4013760	7	7	218,01
20	DC-A+-Sh-e-1m-40BX-20-SA	4013761	6	6	255,18
25	DC-A+-Sh-e-1m-40BX-25-SA	4013762	4	4	281,07
30	DC-A+-Sh-e-1m-40BX-30-SA	4013763	3	3	315,80

Kolor: Antracyt/Srebrzysty · Szerokość: 1,5 m · Ø średnica rolki: 60 cm · w worku

Grubość mm	Wymiar / Odnośnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
6	DC-A+-Sh-e-1,5m-60BG-06-SA	4014154	30	45,0	156,72
10	DC-A+-Sh-e-1,5m-60BG-10-SA	4014155	20	30,0	189,77
12	DC-A+-Sh-e-1,5m-60BG-12-SA	4014156	15	22,5	218,50
20	DC-A+-Sh-e-1,5m-60BG-20-SA	4014158	10	15,0	267,94
30	DC-A+-Sh-e-1,5m-60BG-30-SA	4014160	6	9,0	331,61

## Kaiflex EPDMplus

### Otulina

Kolor: Czarny - Długość: 2 m							
10 mm Grubość				13 mm Grubość			
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m
EPDM+-T-2m-10x010	4003230	220	31,19	EPDM+-T-2m-13x010	4003245	152	37,08
EPDM+-T-2m-10x012	4003231	190	32,88	EPDM+-T-2m-13x012	4003246	136	39,16
EPDM+-T-2m-10x015	4003232	172	33,80	EPDM+-T-2m-13x015	4003247	120	44,23
EPDM+-T-2m-10x018	4003233	136	36,39	EPDM+-T-2m-13x018	4003248	106	48,01
EPDM+-T-2m-10x022	4003234	112	40,39	EPDM+-T-2m-13x022	4003249	84	52,41
EPDM+-T-2m-10x028	4003235	84	45,43	EPDM+-T-2m-13x028	4003250	72	56,56
EPDM+-T-2m-10x035	4003237	60	51,02	EPDM+-T-2m-13x035	4003251	50	68,78
EPDM+-T-2m-10x042	4003238	50	58,57	EPDM+-T-2m-13x042	4003252	40	76,79
EPDM+-T-2m-10x048	4003239	40	67,93	EPDM+-T-2m-13x048	4003253	36	92,52
EPDM+-T-2m-10x054	4003240	36	79,55	EPDM+-T-2m-13x054	4003254	32	111,21
EPDM+-T-2m-10x060	4003242	32	99,11	EPDM+-T-2m-13x060	4014778	32	121,77
EPDM+-T-2m-10x076	4003243	20	128,96	EPDM+-T-2m-13x076	4003257	18	163,13
EPDM+-T-2m-10x089	4003244	18	143,36	EPDM+-T-2m-13x089	4003258	16	182,39

19 mm Grubość				25 mm Grubość			
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m
EPDM+-T-2m-19x012	4003259	78	68,08	EPDM+-T-2m-25x012	4003273	50	112,78
EPDM+-T-2m-19x015	4003260	72	82,08	EPDM+-T-2m-25x015	4003274	50	125,48
EPDM+-T-2m-19x018	4003261	60	84,52	EPDM+-T-2m-25x018	4003275	40	127,55
EPDM+-T-2m-19x022	4003262	56	96,56	EPDM+-T-2m-25x022	4003276	36	139,04
EPDM+-T-2m-19x028	4003263	40	115,22	EPDM+-T-2m-25x028	4003277	32	158,72
EPDM+-T-2m-19x035	4003264	36	133,45	EPDM+-T-2m-25x035	4003278	24	178,94
EPDM+-T-2m-19x042	4003265	32	150,58	EPDM+-T-2m-25x042	4003279	22	196,31
EPDM+-T-2m-19x048	4003266	24	183,63	EPDM+-T-2m-25x048	4003280	18	227,71
EPDM+-T-2m-19x054	4003267	22	207,56	EPDM+-T-2m-25x054	4003281	18	252,24
EPDM+-T-2m-19x060	4003269	18	232,16	EPDM+-T-2m-25x060	4003283	16	277,94
EPDM+-T-2m-19x076	4003270	16	286,11	EPDM+-T-2m-25x076	4003285	12	331,43
EPDM+-T-2m-19x089	4003271	12	315,90	EPDM+-T-2m-25x089	4003287	12	359,86

32 mm Grubość							
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m				
EPDM+-T-2m-32x012	4003289	32	152,28				
EPDM+-T-2m-32x015	4003290	32	169,36				
EPDM+-T-2m-32x018	4003291	24	172,20				
EPDM+-T-2m-32x022	4003292	24	187,62				
EPDM+-T-2m-32x028	4003293	22	214,27				
EPDM+-T-2m-32x035	4003294	18	241,60				
EPDM+-T-2m-32x042	4003295	18	265,07				
EPDM+-T-2m-32x048	4003296	14	307,31				
EPDM+-T-2m-32x054	4003297	12	340,48				
EPDM+-T-2m-32x060	4003299	12	375,19				
EPDM+-T-2m-32x076	4003301	8	447,45				
EPDM+-T-2m-32x089	4003302	8	485,79				

Otulina szczelinowe dostępne na zamówienie.



**Kaiflex EPDMplus**

Mata · w rolce

**Kolor: Czarny · Szerokość: 1 m · Ø średnica rolki: 40 cm · w kartonie**

Grubość mm	Wymiar / Odnośnik	Nr kat.	m/ karton	m <sup>2</sup> / karton	zł/ m <sup>2</sup>
6	EPDM+-Sh-e-1m-40BX-06	4003333	18	18	<b>301,28</b>
10	EPDM+-Sh-e-1m-40BX-10	4003334	10	10	<b>458,54</b>
13	EPDM+-Sh-e-1m-40BX-13	4003336	8	8	<b>554,43</b>
19	EPDM+-Sh-e-1m-40BX-19	4003338	6	6	<b>738,28</b>
25	EPDM+-Sh-e-1m-40BX-25	4003340	4	4	<b>894,90</b>
32	EPDM+-Sh-e-1m-40BX-32	4003341	3	3	<b>1.073,84</b>

## Kaiflex HFplus s2

### Otulina

Kolor: Antracyt · Długość: 1,2 m

9 mm Grubość				13 mm Grubość			
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m
HF+s2-T-1,2m-09x010	4014182	204,0	16,94	HF+s2-T-1,2m-13x010	4000820	134,4	23,25
HF+s2-T-1,2m-09x012	4014180	144,0	18,04	HF+s2-T-1,2m-13x012	4000821	120,0	24,72
HF+s2-T-1,2m-09x015	4000809	158,4	18,67	HF+s2-T-1,2m-13x015	4014181	96,0	27,75
HF+s2-T-1,2m-09x018	4000810	144,0	19,95	HF+s2-T-1,2m-13x018	4000823	88,8	30,05
HF+s2-T-1,2m-09x022	4014062	105,6	22,34	HF+s2-T-1,2m-13x022	4014064	72,0	32,70
HF+s2-T-1,2m-09x028	4014063	86,4	25,09	HF+s2-T-1,2m-13x028	4000825	57,6	35,47
HF+s2-T-1,2m-09x035	4000813	69,6	28,06	HF+s2-T-1,2m-13x035	4014065	43,2	42,88
HF+s2-T-1,2m-09x042	4000814	57,6	32,05	HF+s2-T-1,2m-13x042	4014066	36,0	48,06
HF+s2-T-1,2m-09x048	4000815	50,4	37,20	HF+s2-T-1,2m-13x048	4000828	38,4	57,80
				HF+s2-T-1,2m-13x054	4000829	28,8	69,42
				HF+s2-T-1,2m-13x060	4000830	28,8	76,30
				HF+s2-T-1,2m-13x076	4000831	25,2	95,96
				HF+s2-T-1,2m-13x089	4000832	16,8	114,35

19 mm Grubość				25 mm Grubość			
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m
HF+s2-T-1,2m-19x010	4000833	72,0	39,74				
HF+s2-T-1,2m-19x012	4000834	72,0	42,01				
HF+s2-T-1,2m-19x015	4014067	62,4	50,64	HF+s2-T-1,2m-25x015	4000846	39,6	107,50
HF+s2-T-1,2m-19x018	4000836	50,4	52,22	HF+s2-T-1,2m-25x018	4000847	36,0	109,80
HF+s2-T-1,2m-19x022	4014068	43,2	59,41	HF+s2-T-1,2m-25x022	4000848	30,0	119,22
HF+s2-T-1,2m-19x028	4000838	39,6	71,08	HF+s2-T-1,2m-25x028	4014069	21,6	138,70
HF+s2-T-1,2m-19x035	4000839	30,0	82,34	HF+s2-T-1,2m-25x035	4000850	24,0	163,69
HF+s2-T-1,2m-19x042	4000840	26,4	93,00	HF+s2-T-1,2m-25x042	4000851	19,2	184,30
HF+s2-T-1,2m-19x048	4000841	22,8	113,48	HF+s2-T-1,2m-25x048	4000852	16,8	213,57
HF+s2-T-1,2m-19x054	4000842	21,6	128,19	HF+s2-T-1,2m-25x054	4000853	14,4	241,70
HF+s2-T-1,2m-19x060	4000843	19,2	143,50	HF+s2-T-1,2m-25x060	4000854	14,4	250,09
HF+s2-T-1,2m-19x076	4000844	14,4	179,00	HF+s2-T-1,2m-25x076	4000855	10,0	304,73
HF+s2-T-1,2m-19x089	4000845	12,0	195,88	HF+s2-T-1,2m-25x089	4000856	9,6	320,40

32 mm Grubość							
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m				
HF+s2-T-1,2m-32x015	4000857	21,6	144,51				
HF+s2-T-1,2m-32x018	4000858	21,6	147,54				
HF+s2-T-1,2m-32x022	4000859	19,2	160,26				
HF+s2-T-1,2m-32x028	4000860	19,2	186,46				
HF+s2-T-1,2m-32x035	4000861	18,0	214,50				
HF+s2-T-1,2m-32x042	4000862	14,4	243,99				
HF+s2-T-1,2m-32x048	4000863	13,2	291,70				
HF+s2-T-1,2m-32x054	4000864	10,8	296,32				
HF+s2-T-1,2m-32x060	4000865	10,8	344,02				
HF+s2-T-1,2m-32x076	4000866	8,4	416,25				
HF+s2-T-1,2m-32x089	4000867	7,2	437,65				

Otulina szczelinowe dostępne na zamówienie.



**Kaiflex HFplus s2**

Mata · w rolce

**Kolor: Antracyt · Szerokość: 1 m · Ø średnica rolki: 40 cm · w kartonie**

Grubość mm	Wymiar / Odnośnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
6	HF+s2-Sh-e-1m-40BX-06	4013734	18	18	204,74
10	HF+s2-Sh-e-1m-40BX-10	4013736	10	10	254,01
13	HF+s2-Sh-e-1m-40BX-13	4008750	8	8	301,11
19	HF+s2-Sh-e-1m-40BX-19	4008751	6	6	465,40
25	HF+s2-Sh-e-1m-40BX-25	4008752	4	4	573,60
32	HF+s2-Sh-e-1m-40BX-32	4013739	3	3	633,01

**Kaiflex HFplus s2**

Mata · w rolce · samoprzylepna

**Kolor: Antracyt · Szerokość: 1 m · Ø średnica rolki: 40 cm · w kartonie**

Grubość mm	Wymiar / Odnośnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
6	HF+s2-Sh-e-1m-40BX-06-SA	4013735	18	18	257,70
10	HF+s2-Sh-e-1m-40BX-10-SA	4013737	10	10	307,30
13	HF+s2-Sh-e-1m-40BX-13-SA	4013738	8	8	369,12
19	HF+s2-Sh-e-1m-40BX-19-SA	4008753	6	6	515,18
25	HF+s2-Sh-e-1m-40BX-25-SA	4008754	4	4	621,81
32	HF+s2-Sh-e-1m-40BX-32-SA	4013740	3	3	681,40

## Kaiflex SL

Mata · Płyta · powlekana (ciężka guma)

Kolor: Antracyt · Długość: 2 m · Szerokość: 1 m · w kartonie

Grubość mm	Wymiar / Odnośnik	Nr kat.	Szt./karton	m <sup>2</sup> /karton	zł/m <sup>2</sup>
10	SL-Sh-c-2x1m-BX-10	4013948	1	2	171,33

## Kaiflex SL

Mata · Płyta · powlekana (ciężka guma) · samoprzylepna

Kolor: Antracyt · Długość: 2 m · Szerokość: 1 m · w kartonie

Grubość mm	Wymiar / Odnośnik	Nr kat.	Szt./karton	m <sup>2</sup> /karton	zł/m <sup>2</sup>
10	SL-Sh-c-2x1m-BX-10-SA	4014241	1	2	190,07

**Kaivenience AB**

Mata · Płyta · powlekana (ciężka guma)

Kolor: Antracyt · Długość: 1,18 m · Szerokość: 0,83 m · w kartonie					
Grubość mm	Wymiar / Odnośnik	Nr kat.	Szt./karton	m <sup>2</sup> /karton	zł/m <sup>2</sup>
5	KV-AB-Sh-c-BX-05	4013002	3	3	241,49
10	KV-AB-Sh-c-BX-10	4013000	2	2	229,42

**Kaivenience AB-ALU**

Mata · Płyta · powlekana (ciężka guma oraz warstwa aluminium)

Kolor: Antracyt/Srebrzysty · Długość: 1,18 m · Szerokość: 0,83 m · w kartonie					
Grubość mm	Wymiar / Odnośnik	Nr kat.	Szt./karton	m <sup>2</sup> /karton	zł/m <sup>2</sup>
5	KV-AB-A-Sh-c-BX-05	4013012	3	3	254,28
10	KV-AB-A-Sh-c-BX-10	4013010	2	2	267,67

## Kaisound 240

Mata · Płyta

Kolor: Antracyt · Długość: 1,2 m · Szerokość: 0,84 m · w kartonie						
Grubość mm	Wymiar / Odnośnik	Nr kat.	Szt./karton	m <sup>2</sup> /karton	zł/m <sup>2</sup>	
6	KS240-Sh-c-BX-06	4010596	16	16	256,66	
10	KS240-Sh-c-BX-10	4010597	10	10	423,18	
15	KS240-Sh-c-BX-15	4010598	6	6	641,33	
20	KS240-Sh-c-BX-20	4010599	5	5	833,65	
25	KS240-Sh-c-BX-25	4010600	4	4	1.025,98	
50	KS240-Sh-c-BX-50	4010601	2	2	2.051,98	

## Kaisound 240

Mata · Płyta · samoprzylepna

Kolor: Antracyt · Długość: 1,2 m · Szerokość: 0,84 m · w kartonie						
Grubość mm	Wymiar / Odnośnik	Nr kat.	Szt./karton	m <sup>2</sup> /karton	zł/m <sup>2</sup>	
6	KS240-Sh-c-BX-06-SA	4010608	16	16	346,52	
10	KS240-Sh-c-BX-10-SA	4010609	10	10	513,05	
15	KS240-Sh-c-BX-15-SA	4010610	6	6	731,18	
20	KS240-Sh-c-BX-20-SA	4010611	5	5	923,52	
25	KS240-Sh-c-BX-25-SA	4010612	4	4	1.115,85	
50	KS240-Sh-c-BX-50-SA	4010613	2	2	2.141,82	

## Kaisound 140

Mata · Płyta

Kolor: Antracyt · Długość: 1,2 m · Szerokość: 0,84 m · w kartonie						
Grubość mm	Wymiar / Odnośnik	Nr kat.	Szt./karton	m <sup>2</sup> /karton	zł/m <sup>2</sup>	
6	KS140-Sh-c-BX-06	4010584	16	16	192,33	
10	KS140-Sh-c-BX-10	4010585	10	10	317,36	
15	KS140-Sh-c-BX-15	4010586	6	6	480,83	
20	KS140-Sh-c-BX-20	4010587	5	5	625,37	
25	KS140-Sh-c-BX-25	4010588	4	4	769,52	
50	KS140-Sh-c-BX-50	4010589	2	2	1.539,04	

## Kaisound 140

Mata · Płyta · samoprzylepna

Kolor: Antracyt · Długość: 1,2 m · Szerokość: 0,84 m · w kartonie						
Grubość mm	Wymiar / Odnośnik	Nr kat.	Szt./karton	m <sup>2</sup> /karton	zł/m <sup>2</sup>	
6	KS140-Sh-c-BX-06-SA	4010620	16	16	282,28	
10	KS140-Sh-c-BX-10-SA	4010375	10	10	407,22	
15	KS140-Sh-c-BX-15-SA	4010621	6	6	570,68	
20	KS140-Sh-c-BX-20-SA	4010376	5	5	715,21	
25	KS140-Sh-c-BX-25-SA	4010622	4	4	859,37	
50	KS140-Sh-c-BX-50-SA	4010623	2	2	1.628,87	

## Kaiflex Protect Alu-TEC

Otulina · powlekana (Alu-TEC) · samoprzylepna · z zakładką samoprzylepną

Kolor: Antracyt/Srebrzysty · Długość: 1 m							
13 mm Grubość				19 mm Grubość			
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m
PR-AT-T-1m-13x015-SA-O	4000739	72	93,68	PR-AT-T-1m-19x015-SA-O	4000754	40	107,11
PR-AT-T-1m-13x018-SA-O	4000740	64	95,68	PR-AT-T-1m-19x018-SA-O	4007389	40	109,71
PR-AT-T-1m-13x022-SA-O	4000741	54	98,89	PR-AT-T-1m-19x022-SA-O	4000755	36	112,99
PR-AT-T-1m-13x028-SA-O	4000742	42	103,28	PR-AT-T-1m-19x028-SA-O	4000757	28	124,61
PR-AT-T-1m-13x035-SA-O	4000743	38	113,44	PR-AT-T-1m-19x035-SA-O	4000758	24	131,94
PR-AT-T-1m-13x042-SA-O	4000744	28	119,89	PR-AT-T-1m-19x042-SA-O	4000759	20	138,39
PR-AT-T-1m-13x048-SA-O	4000745	24	129,21	PR-AT-T-1m-19x048-SA-O	4000760	18	149,23
PR-AT-T-1m-13x054-SA-O	4000746	23	134,60	PR-AT-T-1m-19x054-SA-O	4000761	15	154,85
PR-AT-T-1m-13x060-SA-O	4000748	20	138,39	PR-AT-T-1m-19x060-SA-O	4000762	14	160,38
PR-AT-T-1m-13x064-SA-O	4000749	20	150,75	PR-AT-T-1m-19x064-SA-O	4000763	14	175,12
PR-AT-T-1m-13x070-SA-O	4005601	20	160,30	PR-AT-T-1m-19x070-SA-O	4000764	14	175,56
PR-AT-T-1m-13x076-SA-O	4000750	17	167,12	PR-AT-T-1m-19x076-SA-O	4000765	14	186,16
PR-AT-T-1m-13x080-SA-O	4005602	15	171,23	PR-AT-T-1m-19x080-SA-O	4000766	13	190,89
PR-AT-T-1m-13x089-SA-O	4000751	15	177,07	PR-AT-T-1m-19x089-SA-O	4000767	11	200,38
• PR-AT-T-1m-13x108-SL	4006531	14	225,49	• PR-AT-T-1m-19x108-SL	4005605	10	229,07
• PR-AT-T-1m-13x114-SL	4000752	14	229,29	• PR-AT-T-1m-19x114-SL	4000768	9	253,70
• PR-AT-T-1m-13x125-SL	4000753	10	202,10	• PR-AT-T-1m-19x125-SL	4005606	9	380,87
• PR-AT-T-1m-13x140-SL	4006532	9	350,46	• PR-AT-T-1m-19x140-SL	4007391	5	398,91
• PR-AT-T-1m-13x160-SL	4007388	10	435,06	• PR-AT-T-1m-19x160-SL	4005607	4	486,36

25 mm Grubość			
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m
PR-AT-T-1m-25x015-SA-O	4000769	28	116,26
PR-AT-T-1m-25x018-SA-O	4007392	24	134,75
PR-AT-T-1m-25x022-SA-O	4000770	21	138,23
PR-AT-T-1m-25x028-SA-O	4000771	20	145,07
PR-AT-T-1m-25x035-SA-O	4000772	16	153,42
PR-AT-T-1m-25x042-SA-O	4000773	12	158,72
PR-AT-T-1m-25x048-SA-O	4000774	12	178,87
PR-AT-T-1m-25x054-SA-O	4000775	11	204,63
PR-AT-T-1m-25x060-SA-O	4000776	11	217,01
PR-AT-T-1m-25x064-SA-O	4007393	9	237,18
PR-AT-T-1m-25x070-SA-O	4000777	9	241,52
PR-AT-T-1m-25x076-SA-O	4000778	9	245,76
PR-AT-T-1m-25x089-SA-O	4000779	7	266,67
• PR-AT-T-1m-25x108-SL	4005608	5	304,53
• PR-AT-T-1m-25x114-SL	4007394	5	316,27
• PR-AT-T-1m-25x140-SL	4007395	3	497,87

\* Forma dostawy: Z rozcięciem (bez zamknięcia samoprzylepnego)

### Kaiflex Protect Alu-TEC

Mata · w rolce · powlekana (Alu-TEC)

Kolor: Antracyt/Srebrzysty · Szerokość: 1 m · Ø średnica rolki: 53 cm · w kartonie					
Grubość mm	Wymiar / Odnośnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
10	PR-AT-Sh-e-1m-53BX-10	4000794	20	20	209,69
13	PR-AT-Sh-e-1m-53BX-13	4000795	14	14	223,85
19	PR-AT-Sh-e-1m-53BX-19	4000796	10	10	262,45
25	PR-AT-Sh-e-1m-53BX-25	4000797	8	8	299,78
32	PR-AT-Sh-e-1m-53BX-32	4000798	6	6	365,34

### Kaiflex Protect Alu-TEC

Mata · w rolce · powlekana (Alu-TEC) · samoprzylepna

Kolor: Antracyt/Srebrzysty · Szerokość: 1 m · Ø średnica rolki: 53 cm · w kartonie					
Grubość mm	Wymiar / Odnośnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
10	PR-AT-Sh-e-1m-53BX-10-SA	4002761	20	20	251,42
13	PR-AT-Sh-e-1m-53BX-13-SA	4002762	14	14	265,68
19	PR-AT-Sh-e-1m-53BX-19-SA	4002763	10	10	304,68
25	PR-AT-Sh-e-1m-53BX-25-SA	4002764	8	8	342,40
32	PR-AT-Sh-e-1m-53BX-32-SA	4002765	6	6	408,65

### Kaiflex Protect Alu-TEC

Mata · Płyta · powlekana (Alu-TEC)

Kolor: Antracyt/Srebrzysty · Długość: 2,0 m · Szerokość: 1,0 m · w kartonie				
Grubość mm	Wymiar / Odnośnik	Nr kat.	m²/ karton	zł/ m²
40	PR-AT-Sh-c-2x1m-BX-40	4014430	8	547,18
50	PR-AT-Sh-c-2x1m-BX-50	4014432	6	637,80

### Kaiflex Protect Alu-TEC

Mata · Płyta · powlekana (Alu-TEC) · samoprzylepna

Kolor: Antracyt/Srebrzysty · Długość: 2,0 m · Szerokość: 1,0 m · w kartonie				
Grubość mm	Wymiar / Odnośnik	Nr kat.	m²/ karton	zł/ m²
40	PR-AT-Sh-c-2x1m-BX-40-SA	4014431	8	663,56
50	PR-AT-Sh-c-2x1m-BX-50-SA	4009174	6	744,81

**Kaiflex Protect F-BLACK**

Otulina · powlekana (F-BLACK) · samoprzylepna · z zakładką samoprzylepną

Kolor: Antracyt/Czarny · Długość: 1 m							
13 mm Grubość				19 mm Grubość			
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m
PR-FB-T-1m-13x015-SA-O	4007513	72	89,99	PR-FB-T-1m-19x015-SA-O	4006671	40	102,90
PR-FB-T-1m-13x018-SA-O	4007514	64	91,90	PR-FB-T-1m-19x018-SA-O	4007529	40	105,36
PR-FB-T-1m-13x022-SA-O	4006669	54	94,99	PR-FB-T-1m-19x022-SA-O	4001834	36	108,51
PR-FB-T-1m-13x028-SA-O	4001828	42	99,20	PR-FB-T-1m-19x028-SA-O	4001835	28	119,68
PR-FB-T-1m-13x035-SA-O	4001829	38	108,94	PR-FB-T-1m-19x035-SA-O	4001836	24	126,73
PR-FB-T-1m-13x042-SA-O	4007517	28	115,18	PR-FB-T-1m-19x042-SA-O	4001837	20	132,96
PR-FB-T-1m-13x048-SA-O	4001830	24	124,10	PR-FB-T-1m-19x048-SA-O	4005767	18	143,35
PR-FB-T-1m-13x054-SA-O	4006670	23	129,28	PR-FB-T-1m-19x054-SA-O	4001838	15	148,72
PR-FB-T-1m-13x060-SA-O	4001831	20	132,96	PR-FB-T-1m-19x060-SA-O	4006672	14	154,04
PR-FB-T-1m-13x064-SA-O	4007520	20	144,79	PR-FB-T-1m-19x064-SA-O	4007532	14	168,23
PR-FB-T-1m-13x070-SA-O	4005766	20	153,97	PR-FB-T-1m-19x070-SA-O	4007533	14	174,09
PR-FB-T-1m-13x076-SA-O	4007521	17	160,53	PR-FB-T-1m-19x076-SA-O	4007534	14	178,78
PR-FB-T-1m-13x080-SA-O	4007522	15	164,46	PR-FB-T-1m-19x080-SA-O	4007535	13	184,36
PR-FB-T-1m-13x089-SA-O	4001832	15	170,08	PR-FB-T-1m-19x089-SA-O	4007536	11	192,45
• PR-FB-T-1m-13x108-SL	4007524	14	216,58	• PR-FB-T-1m-19x108-SL	4007537	10	230,61
• PR-FB-T-1m-13x114-SL	4007525	14	269,71	• PR-FB-T-1m-19x114-SL	4007538	9	243,68
• PR-FB-T-1m-13x125-SL	4007526	10	322,71	• PR-FB-T-1m-19x125-SL	4007539	9	365,82
• PR-FB-T-1m-13x140-SL	4001833	9	336,63	• PR-FB-T-1m-19x140-SL	4007541	5	428,16
• PR-FB-T-1m-13x160-SL	4007528	10	414,68	• PR-FB-T-1m-19x160-SL	4007542	4	500,15

25 mm Grubość			
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m
PR-FB-T-1m-25x018-SA-O	4007543	24	129,41
PR-FB-T-1m-25x022-SA-O	4007544	21	132,75
PR-FB-T-1m-25x028-SA-O	4001839	20	139,35
PR-FB-T-1m-25x035-SA-O	4007545	16	147,37
PR-FB-T-1m-25x042-SA-O	4005768	12	152,43
PR-FB-T-1m-25x048-SA-O	4006674	12	171,81
PR-FB-T-1m-25x054-SA-O	4001840	11	196,57
PR-FB-T-1m-25x060-SA-O	4001841	11	208,43
PR-FB-T-1m-25x064-SA-O	4007546	9	227,79
PR-FB-T-1m-25x070-SA-O	4007547	9	231,98
PR-FB-T-1m-25x076-SA-O	4001842	9	236,05
PR-FB-T-1m-25x089-SA-O	4001843	7	256,12
• PR-FB-T-1m-25x108-SL	4007548	5	292,51
• PR-FB-T-1m-25x114-SL	4007549	5	303,79
• PR-FB-T-1m-25x140-SL	4007550	3	478,20

\* Forma dostawy: Z rozcięciem (bez zamknięcia samoprzylepnego)

## Kaiflex Protect F-BLACK

Mata · w rolce · powlekana (F-BLACK)

Kolor: Antracyt/Czarny · Szerokość: 1 m · Ø średnica rolki: 53 cm · w kartonie					
Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m <sup>2</sup> / karton	zł/ m <sup>2</sup>
10	PR-FB-Sh-e-1m-53BX-10	4001844	20	20	<b>201,42</b>
13	PR-FB-Sh-e-1m-53BX-13	4001846	14	14	<b>215,01</b>
19	PR-FB-Sh-e-1m-53BX-19	4001848	10	10	<b>252,07</b>
25	PR-FB-Sh-e-1m-53BX-25	4001850	8	8	<b>287,93</b>
32	PR-FB-Sh-e-1m-53BX-32	4001852	6	6	<b>350,89</b>

## Kaiflex Protect F-BLACK

Mata · w rolce · powlekana (F-BLACK) · samoprzylepna

Kolor: Antracyt/Czarny · Szerokość: 1 m · Ø średnica rolki: 53 cm · w kartonie					
Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m <sup>2</sup> / karton	zł/ m <sup>2</sup>
10	PR-FB-Sh-e-1m-53BX-10-SA	4014149	20	20	<b>248,06</b>
13	PR-FB-Sh-e-1m-53BX-13-SA	4014150	14	14	<b>262,35</b>
19	PR-FB-Sh-e-1m-53BX-19-SA	4014151	10	10	<b>277,71</b>
25	PR-FB-Sh-e-1m-53BX-25-SA	4014152	8	8	<b>340,97</b>
32	PR-FB-Sh-e-1m-53BX-32-SA	4014153	6	6	<b>357,85</b>

**Kaiflex Protect Alu-NET**

Otulina · powlekana (Alu-NET) · samoprzylepna · z zakładką samoprzylepną

Kolor: Antracyt/Srebrzysty · Długość: 1 m							
13 mm Grubość				19 mm Grubość			
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m
PR-AN-T-1m-13x015-SA-O	4006730	72	79,64	PR-AN-T-1m-19x015-SA-O	4007687	40	91,05
PR-AN-T-1m-13x018-SA-O	4006731	64	81,34	PR-AN-T-1m-19x018-SA-O	4002719	40	93,23
PR-AN-T-1m-13x022-SA-O	4002709	54	84,05	PR-AN-T-1m-19x022-SA-O	4002720	36	96,03
PR-AN-T-1m-13x028-SA-O	4002710	42	87,80	PR-AN-T-1m-19x028-SA-O	4002722	28	105,90
PR-AN-T-1m-13x035-SA-O	4002711	38	96,43	PR-AN-T-1m-19x035-SA-O	4002723	24	112,14
PR-AN-T-1m-13x042-SA-O	4002712	28	101,93	PR-AN-T-1m-19x042-SA-O	4002724	20	117,66
PR-AN-T-1m-13x048-SA-O	4002713	24	109,83	PR-AN-T-1m-19x048-SA-O	4002725	18	126,84
PR-AN-T-1m-13x054-SA-O	4005842	23	114,42	PR-AN-T-1m-19x054-SA-O	4002726	15	131,60
PR-AN-T-1m-13x060-SA-O	4002715	20	117,66	PR-AN-T-1m-19x060-SA-O	4002727	14	136,33
PR-AN-T-1m-13x064-SA-O	4006733	20	128,14	PR-AN-T-1m-19x064-SA-O	4002728	14	148,87
PR-AN-T-1m-13x070-SA-O	4007679	20	136,27	PR-AN-T-1m-19x070-SA-O	4005843	14	154,96
PR-AN-T-1m-13x076-SA-O	4002716	17	142,07	PR-AN-T-1m-19x076-SA-O	4002729	14	158,21
PR-AN-T-1m-13x080-SA-O	4007680	15	157,26	PR-AN-T-1m-19x080-SA-O	4007689	13	164,46
PR-AN-T-1m-13x089-SA-O	4002717	15	150,50	PR-AN-T-1m-19x089-SA-O	4002730	11	170,33
• PR-AN-T-1m-13x108-SL	4007682	14	191,66	• PR-AN-T-1m-19x108-SL	4002731	10	204,07
• PR-AN-T-1m-13x114-SL	4002718	14	194,90	• PR-AN-T-1m-19x114-SL	4007691	9	215,64
• PR-AN-T-1m-13x125-SL	4007683	10	285,60	• PR-AN-T-1m-19x125-SL	4007692	9	242,10
• PR-AN-T-1m-13x140-SL	4007685	9	297,90	• PR-AN-T-1m-19x140-SL	4007693	5	271,16
• PR-AN-T-1m-13x160-SL	4007686	10	369,81	• PR-AN-T-1m-19x160-SL	4002733	4	413,39

25 mm Grubość							
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m				
PR-AN-T-1m-25x018-SA-O	4002734	24	114,54				
PR-AN-T-1m-25x022-SA-O	4002735	21	117,47				
PR-AN-T-1m-25x028-SA-O	4002736	20	123,32				
PR-AN-T-1m-25x035-SA-O	4002737	16	130,42				
PR-AN-T-1m-25x042-SA-O	4002738	12	134,90				
PR-AN-T-1m-25x048-SA-O	4002739	12	152,04				
PR-AN-T-1m-25x054-SA-O	4002740	11	173,94				
PR-AN-T-1m-25x060-SA-O	4002741	11	184,46				
PR-AN-T-1m-25x064-SA-O	4007694	9	193,62				
PR-AN-T-1m-25x070-SA-O	4007695	9	202,14				
PR-AN-T-1m-25x076-SA-O	4002742	9	208,89				
PR-AN-T-1m-25x089-SA-O	4002743	7	226,64				
• PR-AN-T-1m-25x108-SL	4005844	5	258,87				
• PR-AN-T-1m-25x114-SL	4007696	5	274,31				
• PR-AN-T-1m-25x140-SL	4007697	3	336,80				

\* Forma dostawy: Z rozcięciem (bez zamknięcia samoprzylepnego)

## Kaiflex Protect Alu-NET

Mata · w rolce · powlekana (Alu-NET)

Kolor: Antracyt/Srebrzysty · Szerokość: 1 m · Ø średnica rolki: 53 cm · w kartonie					
Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m <sup>2</sup> / karton	zł/ m <sup>2</sup>
10	PR-AN-Sh-e-1m-53BX-10	4002744	20	20	142,44
13	PR-AN-Sh-e-1m-53BX-13	4002745	14	14	161,79
19	PR-AN-Sh-e-1m-53BX-19	4002746	10	10	212,72
25	PR-AN-Sh-e-1m-53BX-25	4002747	8	8	241,11
32	PR-AN-Sh-e-1m-53BX-32	4002748	6	6	304,70

## Kaiflex Protect Alu-NET

Mata · w rolce · powlekana (Alu-NET) · samoprzylepna

Kolor: Antracyt/Srebrzysty · Szerokość: 1 m · Ø średnica rolki: 53 cm · w kartonie					
Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m <sup>2</sup> / karton	zł/ m <sup>2</sup>
10	PR-AN-Sh-e-1m-53BX-10-SA	4002750	20	20	195,76
13	PR-AN-Sh-e-1m-53BX-13-SA	4002752	14	14	215,09
19	PR-AN-Sh-e-1m-53BX-19-SA	4002754	10	10	261,44
25	PR-AN-Sh-e-1m-53BX-25-SA	4002756	8	8	286,38
32	PR-AN-Sh-e-1m-53BX-32-SA	4002757	6	6	329,88

## Kaiflex Protect TS

Mata · w rolce · powlekana (TS)

Kolor: Antracyt/Czarny · Szerokość: 1 m · Ø średnica rolki: 53 cm · w kartonie					
Grubość mm	Wymiar / Odnośnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
6	PR-TS-Sh-e-1m-53BX-06	4007639	30	30	125,67
10	PR-TS-Sh-e-1m-53BX-10	4007640	20	20	165,87
13	PR-TS-Sh-e-1m-53BX-13	4007641	14	14	177,05
19	PR-TS-Sh-e-1m-53BX-19	4002451	10	10	207,60
25	PR-TS-Sh-e-1m-53BX-25	4002452	8	8	237,13
32	PR-TS-Sh-e-1m-53BX-32	4007642	6	6	288,97

## Kaiflex Protect TS

Mata · w rolce · powlekana (TS) · samoprzylepna

Kolor: Antracyt/Czarny · Szerokość: 1 m · Ø średnica rolki: 53 cm · w kartonie					
Grubość mm	Wymiar / Odnośnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
6	PR-TS-Sh-e-1m-53BX-06-SA	4007643	30	30	167,20
10	PR-TS-Sh-e-1m-53BX-10-SA	4007644	20	20	198,88
13	PR-TS-Sh-e-1m-53BX-13-SA	4002453	14	14	210,16
19	PR-TS-Sh-e-1m-53BX-19-SA	4002454	10	10	241,01
25	PR-TS-Sh-e-1m-53BX-25-SA	4002455	8	8	270,84
32	PR-TS-Sh-e-1m-53BX-32-SA	4002456	6	6	323,26

**Protect (R) HD**  
Materiał powłokowy

Kolor: Szary					
Grubość mm	Wymiar / Odnosnik	Nr kat.	Długość m	Szeroki mm	zł/ m <sup>2</sup>
1,4	PR-R-HD-Ct-1025/20	4012911	20	1,025	<b>686,53</b>



**Kaiflex RT-ST**

Wkładka do obejmy chłodniczej · powlekana (PVC) · z zakładką samoprzylepną

Kolor: Antracyt/Czarny									
13 mm Grubość					19 mm Grubość				
Ø zew. mm	Wymiar / Odnośnik	Nr kat.	Szt./ karton	zł/ Szt.	Ø zew. mm	Wymiar / Odnośnik	Nr kat.	Szt./ karton	zł/ Szt.
37,2	RT-ST-13x010-SA-O	4002234	52	21,56	49,2	RT-ST-19x010-SA-O	4002266	32	24,42
39,2	RT-ST-13x012-SA-O	4002235	48	21,65	51,2	RT-ST-19x012-SA-O	4002267	28	25,00
42,2	RT-ST-13x015-SA-O	4002236	40	21,99	54,2	RT-ST-19x015-SA-O	4002268	22	26,58
45,2	RT-ST-13x018-SA-O	4002237	32	22,71	57,2	RT-ST-19x018-SA-O	4002269	20	29,28
49,2	RT-ST-13x022-SA-O	4002238	32	24,56	61,2	RT-ST-19x022-SA-O	4002271	32	30,76
52,2	RT-ST-13x025-SA-O	4002239	46	26,70	64,2	RT-ST-19x025-SA-O	4002272	30	32,85
55,2	RT-ST-13x028-SA-O	4002240	40	28,36	67,2	RT-ST-19x028-SA-O	4002273	24	34,53
62,2	RT-ST-13x035-SA-O	4002242	30	30,31	74,2	RT-ST-19x035-SA-O	4002276	38	39,12
69,8	RT-ST-13x042-SA-O	4002243	46	32,53	81,8	RT-ST-19x042-SA-O	4002278	32	39,96
76,2	RT-ST-13x048-SA-O	4002244	34	36,54	88,2	RT-ST-19x048-SA-O	4002279	28	44,13
81,4	RT-ST-13x054-SA-O	4002246	32	39,69	93,4	RT-ST-19x054-SA-O	4002280	48	47,87
84,4	RT-ST-13x057-SA-O	4002247	28	41,71	96,4	RT-ST-19x057-SA-O	4002281	48	50,04
88,0	RT-ST-13x060-SA-O	4002248	56	43,43	100,0	RT-ST-19x060-SA-O	4002282	44	51,82
92,0	RT-ST-13x064-SA-O	4002249	48	46,21	104,0	RT-ST-19x064-SA-O	4002283	40	53,80
97,4	RT-ST-13x070-SA-O	4002251	44	50,31	109,4	RT-ST-19x070-SA-O	4002284	32	61,47
103,8	RT-ST-13x076-SA-O	4002252	40	55,03	115,8	RT-ST-19x076-SA-O	4002285	30	65,47
107,4	RT-ST-13x080-SA-O	4002253	36	60,82	119,4	RT-ST-19x080-SA-O	4002286	28	71,83
117,0	RT-ST-13x089-SA-O	4002254	30	66,04	129,0	RT-ST-19x089-SA-O	4002287	26	77,25
135,8	RT-ST-13x108-SA-O	4002256	22	77,76	147,8	RT-ST-19x108-SA-O	4002288	18	89,74
142,4	RT-ST-13x114-SA-O	4002257	18	83,19	154,4	RT-ST-19x114-SA-O	4002289	16	96,07
152,8	RT-ST-13x125-SA-O	4002258	16	97,06	164,8	RT-ST-19x125-SA-O	4002290	12	115,59
161,2	RT-ST-13x133-SA-O	4002259	14	103,65	173,2	RT-ST-19x133-SA-O	4002291	12	126,42
168,0	RT-ST-13x140-SA-O	4002260	14	112,51	180,0	RT-ST-19x140-SA-O	4002292	12	130,20
187,2	RT-ST-13x160-SA-O	4002261	12	135,91	199,2	RT-ST-19x160-SA-O	4002293	8	151,69

25 mm Grubość					32 mm Grubość				
Ø zew. mm	Wymiar / Odnośnik	Nr kat.	Szt./ karton	zł/ Szt.	Ø zew. mm	Wymiar / Odnośnik	Nr kat.	Szt./ karton	zł/ Szt.
69,2	RT-ST-25x018-SA-O	4002304	24	33,27	83,3	RT-ST-32x018-SA-O	4002329	28	45,40
73,2	RT-ST-25x022-SA-O	4002305	38	42,20	87,3	RT-ST-32x022-SA-O	4002330	24	46,86
79,2	RT-ST-25x028-SA-O	4002306	32	44,95	93,3	RT-ST-32x028-SA-O	4002331	24	49,81
86,2	RT-ST-25x035-SA-O	4002307	26	50,53	100,3	RT-ST-32x035-SA-O	4002332	18	58,28
93,8	RT-ST-25x042-SA-O	4002308	22	57,16	107,8	RT-ST-32x042-SA-O	4002333	40	62,25
100,2	RT-ST-25x048-SA-O	4002309	44	63,72	114,2	RT-ST-32x048-SA-O	4002334	30	68,82
105,4	RT-ST-25x054-SA-O	4002310	40	68,13	119,4	RT-ST-32x054-SA-O	4002335	30	74,73
112,0	RT-ST-25x060-SA-O	4002311	36	68,96	126,0	RT-ST-32x060-SA-O	4002336	26	79,12
116,0	RT-ST-25x064-SA-O	4002312	30	73,07	130,0	RT-ST-32x064-SA-O	4002337	24	85,68
					135,4	RT-ST-32x070-SA-O	4002338	22	90,11
127,8	RT-ST-25x076-SA-O	4002313	24	84,82	141,8	RT-ST-32x076-SA-O	4002339	22	103,28
					145,4	RT-ST-32x080-SA-O	4002340	16	110,16
141,0	RT-ST-25x089-SA-O	4002314	22	99,99	155,0	RT-ST-32x089-SA-O	4002341	16	118,15
159,8	RT-ST-25x108-SA-O	4002315	16	115,02	173,8	RT-ST-32x108-SA-O	4002343	12	133,44
166,4	RT-ST-25x114-SA-O	4002316	12	120,13	180,4	RT-ST-32x114-SA-O	4002344	12	142,07
					199,2	RT-ST-32x133-SA-O	4002345	8	161,17
192,0	RT-ST-25x140-SA-O	4002318	12	145,39	206,0	RT-ST-32x140-SA-O	4002346	8	172,63
					225,2	RT-ST-32x160-SA-O	4002347	6	202,84

Szerokość obejmy chłodniczej: <133 mm: 50 mm · ≥133 mm: 100 mm

Nośność jest wystarczająca, o ile odległości montażowe są zgodne z normą DIN 1988 lub krótsze.

## Kaiflex FT

### Wspornik kanału wentylacyjnego

Kolor: Antracyt · Długość: 2 m

Grubość mm	Wymiar / Odkośnik	Nr kat.	Szerokość mm	Szt./karton	m/karton	zł/Szt.
13	<b>FT-13</b>	4004055	75	12	24	<b>365,43</b>
19	<b>FT-19</b>	4004056	100	10	20	<b>449,40</b>
25	<b>FT-25</b>	4014505	100	8	16	<b>507,89</b>
32	<b>FT-32</b>	4004057	100	6	12	<b>552,64</b>



**Kaiflex ECplus**

Łączenie doczołowe · samoprzylepne

Kolor: Czarny									
KKplus 2 Grubość 11,5 - 14,5 mm					KKplus 4 Grubość 17,5 - 22,5 mm				
gr. izolacji mm	Wymiar / Odkośnik	Nr kat.	Szt./karton	zł/Szt.	gr. izolacji mm	Wymiar / Odkośnik	Nr kat.	Szt./karton	zł/Szt.
11,5	EC+-Jo-2/018-SA	4004995	300	4,62	17,5	EC+-Jo-4/018-SA	4005005	180	6,58
12,0	EC+-Jo-2/022-SA	4004996	240	5,11	18,0	EC+-Jo-4/022-SA	4005006	160	7,08
12,5	EC+-Jo-2/028-SA	4004997	200	6,58	19,0	EC+-Jo-4/028-SA	4005007	125	8,46
13,0	EC+-Jo-2/035-SA	4004998	150	7,76	19,5	EC+-Jo-4/035-SA	4005008	100	10,11
13,5	EC+-Jo-2/042-SA	4004999	100	9,24	20,0	EC+-Jo-4/042-SA	4005009	80	11,59
13,5	EC+-Jo-2/048-SA	4005000	100	11,20	20,5	EC+-Jo-4/048-SA	4005010	60	13,75
13,5	EC+-Jo-2/054-SA	4005001	80	11,39	21,0	EC+-Jo-4/054-SA	4005011	60	15,62
14,0	EC+-Jo-2/060-SA	4005002	80	12,87	21,5	EC+-Jo-4/060-SA	4005012	50	17,19
14,0	EC+-Jo-2/076-SA	4005003	70	15,82	22,0	EC+-Jo-4/076-SA	4005013	40	21,02
14,5	EC+-Jo-2/089-SA	4005004	50	19,15	22,5	EC+-Jo-4/089-SA	4005014	30	25,73

**Kaiflex ECplus**

Łączenie doczołowe · samoprzylepne

Kolor: Czarny							
9 mm Grubość				13 mm Grubość			
Wymiar / Odkośnik	Nr kat.	Szt./karton	zł/Szt.	Wymiar / Odkośnik	Nr kat.	Szt./karton	zł/Szt.
EC+-Jo-09x006-SA	4005015	1.125	3,05				
EC+-Jo-09x010-SA	4005016	950	3,35	EC+-Jo-13x010-SA	4005037	560	4,15
EC+-Jo-09x012-SA	4005017	800	3,56	EC+-Jo-13x012-SA	4005038	500	4,42
EC+-Jo-09x015-SA	4005018	660	3,96	EC+-Jo-13x015-SA	4005039	450	4,75
EC+-Jo-09x018-SA	4005019	600	4,21	EC+-Jo-13x018-SA	4005040	370	5,12
EC+-Jo-09x022-SA	4005020	470	4,69	EC+-Jo-13x022-SA	4005041	335	5,58
EC+-Jo-09x028-SA	4005021	375	5,43	EC+-Jo-13x028-SA	4005042	260	6,53
EC+-Jo-09x035-SA	4005022	290	6,43	EC+-Jo-13x035-SA	4005043	210	7,65
				EC+-Jo-13x042-SA	4005044	175	9,00
				EC+-Jo-13x048-SA	4005045	160	9,93
				EC+-Jo-13x054-SA	4005046	150	11,08
				EC+-Jo-13x060-SA	4005047	120	12,48
				EC+-Jo-13x064-SA	4005048	120	13,43
				EC+-Jo-13x076-SA	4005049	115	15,36
				EC+-Jo-13x089-SA	4005050	100	18,41
				EC+-Jo-13x108-SA	4005051	80	23,51
				EC+-Jo-13x114-SA	4005052	80	27,27
				EC+-Jo-13x140-SA	4005055	50	35,95

## Kaiflex ECplus

Łączenie doczołowe · samoprzylepna

Kolor: Czarny							
19 mm Grubość				25 mm Grubość			
Wymiar / Odnośnik	Nr kat.	Szt./ karton	zł/ Szt.	Wymiar / Odnośnik	Nr kat.	Szt./ karton	zł/ Szt.
EC+-Jo-19x010 -SA	4005057	360	5,43				
EC+-Jo-19x012 -SA	4005058	300	5,81				
EC+-Jo-19x015 -SA	4005059	280	6,30				
EC+-Jo-19x018 -SA	4005060	215	6,89	EC+-Jo-25x018 -SA	4005078	155	9,11
EC+-Jo-19x022 -SA	4005061	215	7,43	EC+-Jo-25x022 -SA	4005079	125	10,16
EC+-Jo-19x028 -SA	4005062	165	8,59	EC+-Jo-25x028 -SA	4005080	115	11,77
EC+-Jo-19x035 -SA	4005063	145	10,06	EC+-Jo-25x035 -SA	4005081	100	13,24
EC+-Jo-19x042 -SA	4005064	120	11,59	EC+-Jo-25x042 -SA	4005082	80	14,77
EC+-Jo-19x048 -SA	4005065	115	12,83	EC+-Jo-25x048 -SA	4005083	70	17,00
EC+-Jo-19x054 -SA	4005066	90	14,42	EC+-Jo-25x054 -SA	4005084	70	17,69
EC+-Jo-19x060 -SA	4005067	90	15,43	EC+-Jo-25x060 -SA	4005085	65	19,90
EC+-Jo-19x064 -SA	4005068	90	16,04	EC+-Jo-25x064 -SA	4005086	60	20,38
EC+-Jo-19x076 -SA	4005069	70	20,83	EC+-Jo-25x076 -SA	4005087	50	24,83
EC+-Jo-19x089 -SA	4005070	70	22,79	EC+-Jo-25x089 -SA	4005088	40	31,38
EC+-Jo-19x114 -SA	4005072	55	30,67	EC+-Jo-25x114 -SA	4005090	30	37,70
EC+-Jo-19x140 -SA	4005075	40	36,29	EC+-Jo-25x140 -SA	4005091	25	39,85
32 mm Grubość							
Wymiar / Odnośnik	Nr kat.	Szt./ karton	zł/ Szt.				
EC+-Jo-32x018 -SA	4005095	90	12,24				
EC+-Jo-32x022 -SA	4005096	90	13,09				
EC+-Jo-32x028 -SA	4005097	80	14,47				
EC+-Jo-32x035 -SA	4005098	75	16,83				
EC+-Jo-32x042 -SA	4005099	60	18,55				
EC+-Jo-32x048 -SA	4005100	55	20,49				
EC+-Jo-32x054 -SA	4005101	50	23,38				
EC+-Jo-32x060 -SA	4005102	45	25,34				
EC+-Jo-32x070 -SA	4005104	40	27,66				
EC+-Jo-32x076 -SA	4005105	40	31,38				
EC+-Jo-32x089 -SA	4005106	30	36,57				
EC+-Jo-32x114 -SA	4005108	25	41,46				

**Kaiflex Pyrostar XTRA**

Taśma ogniochronna

**Kolor: Antracyt - w tym drut nawojowy/wiązałkowy**

Wymiar / Odnosnik	Nr kat.	Długość m	Szeroki mm	Szt./ karton	zł/ m <sup>2</sup>
PY-X-Fw-125/10	4014343	10	125	1	<b>1.338,69</b>

## Kleje i inne

	Szczegóły	Wymiar / Odnośnik	Nr kat.	Typ pojemnika	Zawartość	Szt./karton	zł/Szt.
<b>Klej</b>							
Kaiflex Klej Specjalny 415		<b>Ad-415-CA660</b>	4007232	Puszka	660 g	20	<b>256,44</b>
Kaiflex Klej Specjalny 414	z pędzlem · nie zawierający toluenu	<b>Ad-414-CA220</b>	4004706	Puszka	220 g	24	<b>47,48</b>
Kaiflex Klej Specjalny 414	nie zawierający toluenu	<b>Ad-414-CA660</b>	4004708	Puszka	660 g	20	<b>84,93</b>
Kaiflex Klej Specjalny 414	nie zawierający toluenu	<b>Ad-414-CN2200</b>	4004710	Kanister	2.200 g	6	<b>220,53</b>
Kaiflex Spezialkleber EPDM	nie zawierający toluenu	<b>Ad-EPDM-CA660</b>	4004699	Puszka	660 g	20	<b>149,49</b>
Kaiflex Klej Specjalny 515 ECO	bez rozpuszczalników	<b>Ad-515-CA1000</b>	4013475	Puszka	1.000 g	12	<b>537,85</b>
<b>Środek Czyszczący</b>							
Środek Czyszczący		<b>Clean-CA1000</b>	4004732	Puszka	1,0 l	12	<b>80,15</b>
<b>Powłoka ochronna</b>							
Kaifinish Color	Kolor: Biały (ok. RAL 9010)	<b>KF-Co-wh-CA750</b>	4004719	Puszka	0,75 l	4	<b>163,48</b>
Kaifinish Color	Kolor: Szary (ok. RAL 7035)	<b>KF-Co-gr-CA750</b>	4004720	Puszka	0,75 l	4	<b>163,48</b>
Kaifinish Color	Kolor: Czarny (ok. RAL 9005)	<b>KF-Co-bl-CA750</b>	4004721	Puszka	0,75 l	4	<b>163,48</b>
<b>Ochrona przeciw korozji</b>							
Kaifinish Primer	Spoivo	<b>KF-Pr-CA2,5</b>	4004474	Puszka	2,5 kg	4	<b>373,35</b>
Kaifinish Base	Powłoka bazowa	<b>KF-Bs-CA3,5</b>	4004475	Puszka	3,5 kg	4	<b>537,24</b>
Kaifinish Cover	Powłoka zewnętrzna	<b>KF-Cv-CA3,5</b>	4004476	Puszka	3,5 kg	4	<b>623,67</b>
<b>Masa uszczelniająca</b>							
Protect Masa uszczelniająca	Kolor: Szary	<b>PR-Sc-gr-CR290</b>	4004678	Tuba	290 g	12	<b>136,46</b>
Protect Masa uszczelniająca	Kolor: Czarny	<b>PR-Sc-bl-CR290</b>	4004679	Tuba	290 g	12	<b>136,46</b>
Protect Masa uszczelniająca	Kolor: Przezroczysty	<b>PR-Sc-tr-CR290</b>	4004680	Tuba	290 g	12	<b>136,46</b>
<b>Mieszanka ognioodporna</b>							
BMK Mieszanka ognioodporna	Kolor: Antracyt	<b>BMK-Fpc-CR0,4</b>	4004406	Tuba	400 g	12	<b>198,30</b>

## Narzędzia

	Szczegóły	Wymiar / Odnośnik	Nr kat.	Szt./karton	zł/Szt.
<b>Pompka do kleju</b>					
Pompka do kleju	długa szyjka · Pędzel 17 mm	<b>GI-Pmp-long</b>	4004718	1	<b>328,61</b>
Pompka do kleju	krótka szyjka · Pędzel 17 mm	<b>GI-Pmp-short</b>	4004715	1	<b>307,13</b>
Pędzel 11 mm	do pompki do kleju	<b>GI-Pmp-Brush-11</b>	4004716	1	<b>104,63</b>
Pędzel 17 mm	do pompki do kleju	<b>GI-Pmp-Brush-17</b>	4004717	1	<b>112,38</b>
<b>Nóż</b>					
Nóż ceramiczny	Nóż z ostrzem ceramicznym (15 cm) i rękojęcią z tworzywa sztucznego (14 cm)	<b>Knf-Ceramic</b>	138,33	1	<b>149,95</b>
Nóż do cięcia mat		<b>Knf-Sheet</b>	4004735	1	<b>93,92</b>
Zestaw noży	3 noże, 1 osetka	<b>Knf-Set</b>	4004736	1	<b>291,64</b>
<b>Sztyfty żelowe</b>					
Sztyfty żelowe	Kolor: Srebrnoszary · do oznaczania materiałów izolacyjnych	<b>Gelpen</b>	4004730	12	<b>314,95</b>



## Produkty w rolkach

	Szczegóły	Wymiar / Odnośnik	samo- przylepna	Nr kat.	Szerokość mm	Długość m	Grubość mm	Szt./ karton	zł/ Szt.
<b>Kaiflex Taśma</b>									
Kaiflex KKplus s1 Taśma	powlekana (INCERAM-Cladding)	<b>Tp-KK+s1-50/15/3-SA</b>	•	4010454	50	15	4	12	<b>336,27</b>
Kaiflex ST Taśma		<b>Tp-ST-50/15/3-SA</b>	•	4004675	50	15	3	12	<b>61,08</b>
Kaiflex EPDMplus Taśma		<b>Tp-EPDM+-50/15/3-SA</b>	•	4004142	50	15	3	12	<b>207,81</b>
Kaiflex HFplus s2 Taśma		<b>Tp-HF+s2-50/15/3-SA</b>	•	4005135	50	15	3	12	<b>96,56</b>
<b>Alu Taśma</b>									
Alu Taśma		<b>Tp-ALU-50/50/30-SA</b>	•	4010312	50	50	0,03	24	<b>212,74</b>
<b>Protect Alu Butyl Taśma</b>									
Protect Alu Butyl Taśma		<b>Tp-PR-AluBty-20/25-SA</b>	•	4004681	20	25	-	30	<b>161,73</b>
Protect Alu Butyl Taśma		<b>Tp-PR-AluBty-50/25-SA</b>	•	4004682	50	25	-	12	<b>403,88</b>
Protect Alu Butyl Taśma		<b>Tp-PR-AluBty-100/25-SA</b>	•	4004684	100	25	-	6	<b>794,51</b>
<b>Protect Alu Taśma</b>									
Protect Alu Taśma		<b>Tp-PR-Alu-19/25-SA</b>	•	4004401	19	25	-	36	<b>104,36</b>
Protect Alu Taśma		<b>Tp-PR-Alu-50/50-SA</b>	•	4004402	50	50	-	24	<b>260,55</b>
Protect AluTaśma		<b>Tp-PR-Alu-100/50-SA</b>	•	4004403	100	50	-	12	<b>512,59</b>
<b>Protect BLACK Butyl Taśma</b>									
Protect BLACK Butyl Taśma		<b>Tp-PR-BBty-50/25-SA</b>	•	4004685	50	25	-	2	<b>343,29</b>
<b>Protect TS Taśma</b>									
Protect TS Taśma		<b>Tp-PR-TS-50/15/3-SA</b>	•	4004074	50	15	3	12	<b>173,58</b>
		<b>Wymiar / Odnośnik</b>	<b>samo- przylepna</b>	<b>Nr kat.</b>	<b>Szerokość mm</b>	<b>Długość m</b>			<b>zł/ m<sup>2</sup></b>
<b>Materiał powłokowy</b>									
Protect Alu-TEC Materiał powłokowy		<b>PR-AT-Ct-1060/25</b>		4003844	1.060	25			<b>110,34</b>
Protect Alu-TEC Materiał powłokowy		<b>PR-AT-Ct-1000/25-SA</b>	•	4003845	1.050	25			<b>132,39</b>
Protect F-BLACK Materiał powłokowy		<b>PR-FB-Ct-1060/25</b>		4003843	1.060	25			<b>105,97</b>
Protect F-BLACK Materiał powłokowy		<b>PR-FB-Ct-1000/25-SA</b>	•	4003847	1.000	25			<b>128,19</b>

## Inne

<b>Drut nawojowy/wiązałkowy</b>									
	Szczegóły	Wymiar / Odnośnik	Nr kat.	Szt./ karton	zł/ Szt.				
Drut nawojowy/wiązałkowy	Średnica ok. 0,65 mm · ok. 100 g	<b>Wwr-065/100</b>	4004806	25	<b>18,43</b>				



## Ogólne warunki dostaw

Wersja: 08/2024

### § 1 Scope of Application

- (1) All sales and deliveries by Kaimann GmbH ("Seller") to any entrepreneur as defined by section 14 German Civil Code [BGB], any legal entity under public law or any fund under public law ("Buyer") (collectively "the Parties") shall be governed exclusively by the Seller's General Terms and Conditions of Sale and Delivery ("General Terms and Conditions of Sale and Delivery").
- (2) Whether or not these General Terms and Conditions of Sale and Delivery are expressly agreed upon again, they shall apply also to all future sales and deliveries by the Seller to the Buyer. The version current at the time the contract is concluded shall apply in each case. The Seller shall, without undue delay, inform the Buyer of all new versions of these General Terms and Conditions of Sale and Delivery.
- (3) The Seller shall not accept any terms or conditions of the Buyer that conflict with, supplement or deviate from these General Terms and Conditions of Sale and Delivery, unless the Seller has expressly consented to their application. These General Terms and Conditions of Sale and Delivery shall apply even if the Seller unconditionally carries out an order knowing of terms and conditions of the Buyer conflicting with or deviating from these General Terms and Conditions of Sale and Delivery.

### § 2 Quotations, Conclusion of the Contract, Other Declarations

- (1) The Seller's quotations shall always be subject to change without notice. A contract shall come into being, if the Seller accepts an offer from the Buyer by acknowledging the Buyer's order in writing (including email) or by carrying out the Buyer's order. The Buyer shall be bound by its purchase order for 10 days.
- (2) Verbal commitments made by any representatives or other assistants of the Seller shall be binding only if and in so far as the Seller has confirmed the same in writing.
- (3) All legally relevant declarations and notifications required to be made by the Buyer to the Seller or any third party must be in text form.

### § 3 Performance by Third Parties

The Seller hereby reserves the right to appoint third parties to render services owed under the contract. The Buyer's rights against the Seller shall remain unaffected hereby.

### § 4 The Seller's Right of Rescission

- (1) If the Seller itself is not supplied, not supplied correctly or not supplied in due time by its suppliers, the Seller shall be entitled to rescind the contract.
- (2) Furthermore, the Seller shall be entitled to rescind the contract, if the Buyer has filed a petition for the institution of insolvency proceedings concerning its assets or has executed an affirmation in lieu of an oath in accordance with section 807 Code of Civil Procedure (ZPO), or if insolvency proceedings concerning its assets have been instituted or the institution of such proceedings has been dismissed owing to a lack of assets.
- (3) The Seller's other rights of rescission shall remain unaffected, in particular the rights of withdrawal and termination specified under § 7 and § 8 in conjunction with "No re-export to Russia and Belarus- Clause and the Ethics and Compliance clause.

### § 5 Delivery

- (1) Except where otherwise agreed upon, deliveries shall take place "ex works" Kaimann GmbH Hövelhof (Incoterms 2020).
- (2) The delivery period agreed upon in the contract shall apply. In the absence of a contractual agreement in this respect, the delivery period shall be 6 weeks from acknowledgement of the order within the meaning of § 2 (1). In so far as the Buyer is subject to a duty to co-operate, the delivery period shall not begin to run before the buyer has fulfilled such a duty.
- (3) If delivery is temporarily delayed owing to force majeure or any other events unforeseeable at the time of the conclusion of the contract (operational disruptions of any kind, even if occurring at third parties appointed by the Seller or at their contractors; bottlenecks in the supply of material; etc.), the delivery period shall be extended accordingly. If such events lead to delivery being deferred by more than four months, both Parties shall be entitled to rescind the contract in respect of the scope of the services concerned. No other claims shall exist unless the consignee notifies the carrier of the delay in delivery within 21 days after delivery.
- (4) Sub-deliveries shall be permissible in so far as reasonable for the Buyer.
- (5) The Buyer may assign its claims arising from the contractual relationship only with the Seller's prior consent.

### § 6 Export Control Law

- (1) The Buyer hereby undertakes to refrain from carrying out under any circumstances any of the following transactions:
  - transactions with persons, organisations or institutions listed on the sanctions list under EC Regulations or US export provisions;
  - transactions with UN/EC-embargo states prohibited;
  - transactions for which an essential permit is lacking.The Buyer shall be liable for all expenditure and loss incurred by the Seller as

a result of any violation.

- (2) The Seller's contractual obligations shall cease to apply, if and in so far as applicable national or international foreign trade legislation and/or embargos and/or other sanctions conflict therewith.

### § 7 "No re-export to Russia and Belarus" Clause

- (1) Russian Federation
    - The [Importer/Buyer] shall not sell, export or re-export goods supplied under or in connection with this Agreement that fall within the scope of Article 12g of Regulation (EU) No 833/2014 directly or indirectly to the Russian Federation or for use in the Russian Federation.
    - The [Importer/Buyer] shall not sell, export or re-export, directly or indirectly, to the Russian Federation or for use in the Russian Federation any intellectual property rights, trade secrets or other information sold, licensed, or otherwise transferred under or in connection with this Agreement that fall within the scope of Article 12ga of Regulation (EU) No 833/2014.
  - (2) Belarus
    - The [Importer/Buyer] shall not sell, export or re-export, directly or indirectly, goods supplied under or in connection with this Agreement that fall within the scope of Article 8g of Regulation (EC) No 765/2006 to Belarus or for use in Belarus.
  - (3) The [Importer/Buyer] shall undertake its best efforts to ensure that the purpose of paragraph (1) and (2) is not frustrated by any third parties further down the commercial chain, including by possible resellers.
  - (4) The [Importer/Buyer] shall set up and maintain an adequate monitoring mechanism to detect conduct by any third parties further down the commercial chain, including by possible resellers, that would frustrate the purpose of paragraph (1) and (2).
  - (5) If the [Importer/Buyer] culpably breaches one or more obligations arising from paragraphs (1), (2), (3) and (4), this shall constitute a material breach of contract for grave cause, entitling the [Exporter/Seller] to take appropriate and proportionate remedial measures depending on the nature, gravity and duration of the breaches of contract, which are enumerated below (non-exhaustive list):
    - Refusal of supply (rejection of any new order and/or suspension of delivery for current orders) or
    - Withdrawal from the contract or
    - Extraordinary termination for grave cause without prior noticeIn addition to the rights under (5) (a)-(c), the [Exporter/Seller] shall be entitled to impose a reasonable liable fault-based contractual penalty in the event of the conditions set out under (5) in the amount of 1% of the order value, but not more than EUR 25,000, and in the event of multiple breaches not more than 5% of the order value, but not more than EUR 250,000. Proof of higher damages and further statutory claims shall remain unaffected; the contractual penalty shall be offset against further monetary claims. The [Importer/Buyer] shall be entitled to prove that the [Exporter/Seller] has suffered no loss at all or only a significantly lower loss than the above contractual penalty.
- The [Importer/Buyer] shall immediately inform the [Exporter/Seller] in writing of the remedial action taken.
- (6) The [Importer/Buyer] shall immediately inform the [Exporter/Seller] about any problems in applying paragraphs (1), (2), (3) or (4), including any relevant activities by third parties that could frustrate the purpose of paragraph (1) and (2). The [Importer/Buyer] shall make available to the [Exporter/Seller] information concerning compliance with the obligations under paragraph (1), (2), (3) and (4) within two weeks of the simple request of such information
  - (7) Russian Federation
    - The [Exporter/Seller] shall undertake its best efforts to ensure that, where it falls within the scope of Article 8a of Regulation (EU) No 833/2014 legal persons, entities or bodies established outside the Union and owned or controlled by it do not engage in activities that undermine the restrictive measures provided for in Regulation (EU) No 833/2014.
    - The [Exporter/Seller] undertakes to comply with the procedure set out in Article 12gb of Regulation (EU) No 833/2014 [A4] regarding the sale, supply, transfer or export of the common priority items listed in Annex XL to Regulation (EU) No 833/2014 as of 26 December 2024
  - (8) Belarus
    - a) The [Exporter/Seller] shall undertake its best efforts to ensure that, where it falls within the scope of Article 8i of Regulation (EC) No 765/2006, legal persons, entities or bodies owned or controlled by it and established outside the Union do not engage in activities that undermine the restrictive measures provided for in Council Regulation (EC) No 765/2006.
    - b) The [Exporter/Seller] undertakes to comply with the procedure laid down in Article 8ga of Regulation (EC) No 765/2006 [with regard to the sale, supply, transfer or export of the items of common high priority listed in Annex XXX to Regulation (EC) No 765/2006 from 2 January 2025.

## Ogólne warunki dostaw

Wersja: 08/2024

### § 8 Ethics and Compliance Clause

- (1) In the performance of the contract, the Buyer undertakes to comply with all applicable laws and regulations relating to it, in particular those relating to the following:
  - a) employee rights (including health and safety in the workplace and prohibition of forced and child labour),
  - b) environmental law,
  - c) financial integrity (including the prohibition of all forms of corruption and the fight against money laundering)
  - d) competition and antitrust law.
- (2) The Seller reserves the right to refuse any new order and/or to suspend delivery for current orders, i.e., to refuse performance or to withdraw from the contract, if a new law or regulation makes the fulfilment of its contractual obligation illegal or impossible or imposes sanctions on it, without the Seller having to assume any liability for this.

The seller shall immediately inform the buyer in writing of the right exercised.

For continuing obligations, the right to terminate without notice for good cause, which is regulated under § 7 (5) of these GTC, shall replace the right of withdrawal.
- (3) The Buyer shall comply with the obligations specified under § 6 (1) and ensure that the employees, temporary workers or other third parties engaged by the Buyer to perform the order also strictly adhere to these obligations. Otherwise, the Seller reserves the right to terminate the contract without notice for good cause in accordance with § 7 (5) of these GTC, without the Seller having to assume any liability for this.
- (4) Furthermore, the Buyer undertakes to take all reasonable measures and procedures to comply with the aforementioned obligations and to inform the Seller of these upon request.

Otherwise, the Seller reserves the right to terminate the contract without notice for good cause in accordance with § 7 (5) of these GTC, without the Seller having to assume any liability for this.
- (5) The Seller may suspend the contract or an order after written notification to the Buyer and/or terminate it without notice for good cause. Good cause in this sense shall be deemed to exist in particular if one or more of the obligations listed under § 7 (1), (2), (3) and (4) of these GTC have been culpably breached by the Buyer.

The notice of termination shall contain the essential reasons which led to the assumption of the existence of good cause.

The Seller may claim damages under applicable law if the Buyer culpably breaches the aforementioned obligations. In no event shall the Seller be liable for any damages incurred by the Buyer as a result of the suspension or termination of the contract or an order. The Buyer undertakes to bear its own costs resulting from the suspension or termination and to mitigate the consequences of the resulting damage.
- (6) The Buyer confirms that it has been informed of the Seller's professional warning system, which is accessible at the following address:  
<https://www.bkms-system.com/saint-gobain>.

### § 9 Prices and Payment Terms

- (1) Except where otherwise agreed upon, prices for deliveries shall apply "ex works" Kaimann GmbH in Hövelhof (Incoterms 2020). In particular, such prices shall not include costs for shipping and transportation.
- (2) All prices shall be subject to the addition of value-added tax at the rate prescribed by law at the time the invoice is issued.
- (3) The Seller shall be entitled to invoice separately for any permissible sub-deliveries.
- (4) The Seller hereby reserves the right to alter its prices accordingly, if costs fall or rise after the conclusion of the contract, particularly as a result of collective bargaining agreements or changes in the price of materials. The Seller shall prove such reductions or increases in costs, if the Buyer so requests.
- (5) The amounts invoiced shall be paid within 14 days of the invoice date.
- (6) Discountable bills of exchange and cheques shall be accepted by the Seller only by prior agreement and only on account of performance. Payment shall be deemed to have been made only when the bill of exchange or cheque amount has been definitively credited to a bank account of the Seller. All discounting, banking and collection charges, as well as all stamp duty shall be reimbursed by the Buyer.
- (7) Payments shall always be credited against the oldest invoice. If charges and interest have already been incurred, payments shall first be credited against charges, then against interest and finally against the principal claims.
- (8) The Buyer shall have a right of set-off only if and in so far as its counter-claims are undisputed or have been determined by a final and non-appealable court judgement or its counterclaims are based on the same contractual relationship. The Buyer shall have a right of retention only if and in so far as its counterclaims are based on the same contractual relationship and are undisputed or have been determined by a final and non-appealable court judgement.

### § 10 Pallets, Packaging

- (1) In so far as the Seller delivers the goods on returnable pallets, the Buyer shall return, in exchange on a concurrent basis, the same number of returnable pallets of the same kind and in similar condition. If no proper exchange occurs, the Buyer shall pay rental fees. The type, number of returnable packaging as well as the amount of rental fees will be communicated to the Buyer by the Seller in the course of the order confirmation, at the latest, however, when the invoice is issued.
- (2) To keep the selling prices as stable as possible, costs in connection with the recovery and recycling of used packaging are not yet included in the delivery prices. Therefore, the Buyer shall recycle all used packaging independently and on its own account in accordance with the statutory and official requirements. The Buyer shall not be permitted, in this respect, to levy charges or reduce the amounts invoiced.

### § 11 Retention of Title

- (1) The Seller shall retain title to the goods delivered until all present and future claims arising from the business relationship with the Buyer have been paid in full ("Goods under Retention of Title"). In the case of a running account, the property under retention of title shall serve to secure the balance claim.
- (2) The Buyer shall treat all Goods under Retention of Title with care and shall adequately insure the same against fire damage, water damage and theft on a replacement value basis at its own expense. In so far as servicing and inspection work is necessary, the Buyer shall carry out such work in due time at its own expense.
- (3) The Buyer shall be entitled to on-sell Goods under Retention of Title in the ordinary course of its business. However, the Buyer hereby assigns to the Seller all claims accruing to it from or in connection with on-selling against its customers or third parties (including all security and all ancillary rights) up to the sum of the final invoiced amount of the Seller's claims (including value-added tax), regardless of whether the item purchased is on-sold without having been processed or after having been processed. The Buyer shall, even after this assignment of claims, remain authorised to collect such claims. The Seller's right to collect such claims itself shall remain unaffected hereby. However, the Seller undertakes not to make use of this right as long as the Buyer meets its payments out of the proceeds received and has not defaulted on payment, particularly as long as no petition for the institution of insolvency proceedings has been filed and no payments have been suspended. In such cases, the Buyer shall inform the Seller of the claims assigned and the debtors concerned, provide all information necessary for collecting the claims, hand over all relevant documents and give the debtors (third parties) notification of this assignment.
- (4) The Buyer shall not be entitled to pledge Goods under Retention of Title assign the same as security or encumber the same with any other third-party rights. The Buyer shall, without undue delay, inform the Seller of all third-party compulsory execution measures concerning Goods under Retention of Title and hand over all documents necessary for any intervention. This shall apply also to impairments of any kind. Notwithstanding the foregoing, the Buyer shall point out to the third parties in advance all rights existing in respect of the Goods under Retention of Title. In so far as the third party is unable to reimburse the costs in connection with any intervention by the Seller, the Buyer shall bear such costs.
- (5) Any processing or remodelling of Goods under Retention of Title by the Buyer shall always be deemed to have been carried out on the Seller's behalf. If any Goods under Retention of Title are processed together with other items not belonging to the Seller, the Seller shall acquire joint title to the new item in the ratio of the value of the Goods under Retention of Title (final amount invoiced, including value-added tax) in relation to the other processed items at the time of processing. Moreover, the terms and conditions applicable to Goods under Retention of Title shall apply equally to the item created as a result of processing.
- (6) If any Goods under Retention of Title are inseparably mixed with other items not belonging to the Seller, the Seller shall acquire joint title to the new item in the ratio of the value of the Goods under Retention of Title (final amount invoiced, including value-added tax) in relation to the other mixed items at the time of mixing. If such mixing occurs in such a manner that the Buyer's item is to be regarded as the main item, it shall be deemed agreed that the Buyer shall transfer joint title to the Seller on a pro-rata basis. The Buyer shall hold in safekeeping for the Seller the sole or joint property thus created.
- (7) As security for the Seller's claims against the Buyer, the Buyer hereby also assigns to the Seller all claims accruing to the Buyer against a third party as a result of Goods under Retention of Title having been connected to any plot of land.
- (8) If the Seller is entitled to reclaim possession of Goods under Retention of Title, the Buyer shall bear the cost of such repossession. The Seller shall be authorised to realise such repossessed Goods under Retention of Title on the open market for the best possible price and credit the proceeds, less any appropriate costs in connection with such realisation, against the

## Ogólne warunki dostaw

Wersja: 08/2024

amounts owed by the Buyer.

- (9) If the realisable value of the security exceeds the Seller's claims against the Buyer by more than 10 %, the Seller shall, if the Buyer so requests, release such security to a corresponding extent. The Seller hereby reserves the right to choose the security to be released.
- (10) If, in the case of deliveries abroad, this retention of title cannot be agreed upon with the same effect as under German law, yet it is permissible to reserve other rights in the item delivered, the Seller shall be entitled to such rights. The Buyer shall co-operate therewith in every respect.

### § 12 Moulds

- (1) The moulds required for manufacturing the goods shall remain the Seller's intellectual and in-rem property. This shall apply even if the Buyer has agreed to bear the cost of manufacturing such moulds. The Seller hereby reserves all copyrights, other property rights and rights of use.
- (2) In so far as the Buyer has agreed to bear the cost of manufacturing such moulds, such moulds shall be retained for two years from the day of the last delivery. Goods ordered by the Buyer shall be manufactured by the Seller with the aid of such moulds only if this has been expressly agreed upon

### § 13 The Seller's Documents

The Seller shall retain any and all rights of title, copyrights and industrial property rights in respect of illustrations, drawings, samples and other documents ("Documents"). This shall apply also to Documents not expressly designated as "confidential". The Buyer shall pass on such Documents to third parties only with the Seller's prior express written consent.

### § 14 Default in Taking Delivery

If the Buyer fails to accept the goods within a set grace period or refuses to take delivery of the goods, the Seller shall be entitled, without prejudice to any other rights, to rescind the contract and claim damages in lieu of performance. The damages in lieu of performance shall be a liquidated amount equal to 10 % of the purchase price excluding deductions, unless the Buyer proves that no loss at all was incurred or that the loss incurred was lower than such liquidated damages. The Seller hereby reserves the right to prove a higher loss.

### § 15 Warranty for Defects

- (1) The qualities of the goods to be delivered, including their usability for any specific purpose, shall ensue exclusively from the corresponding agreements made between the Parties. Deviations in dimensions and/or weight within the tolerance range customary in the trade shall not constitute a defect. Samples and specimens made available to the Buyer by the Seller shall serve only to approximately describe the goods. No illustrations in catalogues or prospectuses of the Seller shall be binding for execution. The Seller hereby reserves the right to make technical and/or design changes to the goods, in so far as such changes are customary in the trade, do not unreasonably impair the Buyer and do not impair the usability of the goods for the agreed purpose.
- (2) The Buyer shall give the Seller notification in text form of any and all obvious defects without undue delay, however no later than within 5 days of delivery. If the Buyer fails to give notification in due time and form, the delivery shall be deemed approved, unless the Seller has fraudulently concealed the defect. Moreover, section 377 German Commercial Code (HGB) shall apply. If the Buyer fails to inspect the relevant characteristics for the intended purpose of use before installing the goods, at least on a spot-check basis (e. g. by means of functional tests or trial installation), he violates the diligence normally used in commercial practice to a considerable extent (gross negligence).
- (3) In case of supplementary performance, the Seller hereby reserves the right to choose between eliminating any defect and delivering an item free from defects. This shall not apply in the event of supplier recourse under sections 445a, 445b German Civil Code (BGB), if the last contract within the supply chain is a purchase of consumer goods. Section 439 (3) German Civil Code (BGB) remains unaffected. The Buyer has to state and prove the necessity of expenses to remove defective and install non-defective goods. In order to substantiate these costs actually incurred for the reasonably implemented measure he is obliged to submit a comprehensible list of costs.
- (4) The Seller may refuse to provide subsequent performance if the costs of the subsequent performance are disproportionate due to the specific circumstances of the case. The costs are disproportionate, in particular, if the costs of subsequent performance are disproportionate in comparison with the value of a defect-free good or in comparison with the significance of the defect. This shall regularly be the case of the total costs of the subsequent performance required exceed 150 % of the value of the goods invoiced or 200 % of the amount representing the loss of value. This does not apply in the case of the sale of consumer goods. If it concerns a sale of consumer goods according to section 474 ff. German Civil Code (BGB), the Seller may limit the reimbursement of expenses to be paid to the Buyer to an appropriate amount.
- (5) The warranty period shall be one year. The statutory time-bar periods in

cases of fraudulent concealment, in cases where an item used for a building commensurately with its customary use has caused such a building to become defective and in cases of supplier recourse under sections 445a, 445b German Civil Code (BGB) shall remain unaffected, if the last contract within the supply chain is a purchase of consumer goods.

- (6) The Seller shall not assume any guarantees in the legal sense, unless expressly agreed upon.
- (7) Damage claims based on any defect not already deemed approved under § 15 (2) shall be governed by § 16.
- (8) Buyer's recourse claims according to sections 445a, 445b German Civil Code (BGB) shall only exist insofar as the Purchaser has not entered into any agreements with his customers that go beyond the statutory claims for defects. However, the Buyer's recourse claim shall only exist up to a maximum amount of 150 % of the value of goods invoiced. The latter stipulation does not apply, if the last contract within the supply chain is a purchase of consumer goods.
- (9) The limitation period for Buyer's recourse claims according to sections 445a, 445b German Civil Code (BGB) is one year after the statutory limitation period begins, unless the last contract within the supply chain is a purchase of consumer goods. If the last contract within the supply chain is a purchase of consumer goods, the statutory limitation periods shall remain unaffected.

### § 16 Liability for Damages

- (1) Unless otherwise stipulated in these General Terms and Conditions of Sale and Delivery, including the following provisions, the Seller shall be liable in the event of a breach of contractual and non-contractual obligations in accordance with the statutory provisions.
- (2) The Seller shall be liable for damages - on whatever legal grounds - within the scope of liability for culpa in cases of intent and gross negligence. In the event of simple negligence, the Seller shall only be liable subject to a milder standard of liability in accordance with statutory provisions (e.g. for diligence in his own matters) in the case of
  - a) damages resulting from injury to life, body or health,
  - b) damages arising from a not insignificant breach of a material contractual obligation (obligation whose fulfilment is essential for the proper performance of the contract and on whose compliance the contractual partner regularly relies and may rely); in this case the liability of the Seller is limited to compensation for the foreseeable, typically occurring damage.
- (3) The limitations of liability resulting from paragraph 2 shall equally apply to breaches of duty on the part of or in favour of persons whose fault the Seller is responsible for in accordance with statutory provisions. They do not apply if the Seller maliciously concealed a defect or assumed a guarantee for the quality of the goods and for claims of the Buyer under the Product Liability Act.
- (4) If the Seller is in default due to simple negligence, its liability for the damage caused by default shall also be limited to a maximum of 5 % of the agreed price.
- (5) Due to a breach of duty which does not consist in a defect, the Buyer can only withdraw or terminate if the Seller is responsible for the breach of duty. A free right of termination of the Buyer (in particular according to sections 650, 648 German Civil Code (BGB)) is excluded. In all other respects, the statutory requirements and legal consequences shall apply.

### § 14 Applicable Law, Place of Performance, Place of Jurisdiction

- (1) The laws of the Federal Republic of Germany, excluding the UN sales law (CISG), shall apply.
- (2) The place where the Seller's registered office is situated shall be the place of performance.
- (3) The place where the Seller's registered office is situated shall be the place of jurisdiction. However, the Seller hereby reserves the right to bring an action against the Buyer at the Buyer's place of general jurisdiction.



Treść niniejszego dokumentu odzwierciedla naszą wiedzę i doświadczenie w momencie publikacji. Nie stanowi to jednak gwarancji w sensie prawnym, chyba że wyraźnie ustalono inaczej. Stan wiedzy i doświadczenia podlega ciągłej ewolucji. Dlatego należy korzystać z najnowszego wydania tego dokumentu (dostępnego pod adresem [www.kaimann.com](http://www.kaimann.com)). W razie jakichkolwiek pytań, prosimy o kontakt z naszym Biurem Obsługi Klienta lub przedstawicielem handlowym.

Kaiflex®, Kaifoam®, Kaisound®, Kaifinish® są zarejestrowanymi znakami towarowymi firmy Kaimann GmbH.

© Kaimann GmbH · HansasträÙe 2-5 · 33161 Hövelhof · Germany · Phone: +49 5257 9850-0 · E-Mail: [info.kaimann@saint-gobain.com](mailto:info.kaimann@saint-gobain.com) · [www.kaimann.com](http://www.kaimann.com)

Zastrzega się prawo do dokonywania zmian.